

"Apollo"® Valves

high performance butterfly valves



price list

www.apollovalves.com

customer service 704.841.6000
HPPL-0722 Effective 11JULY22



integrated
piping systems



high performance butterfly valve price list

How to Specify High Performance Butterfly Valves 3

CARBON STEEL (WCB BODY)

Class 150

Lug	
Bare Stem	4
Lever Handle.....	6
Gear Operator	8

Wafer	
Bare Stem	4
Lever Handle.....	6
Gear Operator	8

Class 300

Lug	
Bare Stem	10
Lever Handle.....	12
Gear Operator	14

Wafer	
Bare Stem	10
Lever Handle.....	12
Gear Operator	14

Class 600

Lug	
Bare Stem	16
Lever Handle.....	18
Gear Operator	20

Wafer	
Bare Stem	16
Lever Handle.....	18
Gear Operator	20

Option Adder / Deducts22

Repair Kits23

STAINLESS STEEL (CF8M BODY)

Class 150

Lug	
Bare Stem	5
Lever Handle.....	7
Gear Operator	9

Wafer	
Bare Stem	5
Lever Handle.....	7
Gear Operator	9

Class 300

Lug	
Bare Stem	11
Lever Handle.....	13
Gear Operator	15

Wafer	
Bare Stem	11
Lever Handle.....	13
Gear Operator	15

Class 600

Lug	
Bare Stem	17
Lever Handle.....	19
Gear Operator	21

Wafer	
Bare Stem	17
Lever Handle.....	19
Gear Operator	21

All prices on this listing are subject to change without notice. While we make every effort to provide you the most accurate, up-to-date information, occasionally, one or more items on the listing may be incorrectly priced. Where a product is listed at an incorrect price due to typographical, photographic, or technical error or error in pricing information received from our suppliers, Apollo Flow Controls shall have the right to refuse or cancel any orders placed for product listed at the incorrect price.



high performance butterfly valve price list

HIGH PERFORMANCE BUTTERFLY VALVES HOW TO SPECIFY

2	15	L	06	C	S	P	8T	A	0
VALVE TYPE	CLASS	VALVE STYLE	SIZE	BODY MATERIAL	DISC MATERIAL	STEM & PIN MATERIAL	SEAT MATERIAL	SPECIAL SERVICE	OPERATOR
2 - DOUBLE OFFSET	15 (150)	L - LUG	02 (2")	CARBON STEEL	STAINLESS STEEL	P - 17-4 PH SS	8T - RTFM (TFM 1700 W/GLASS)	A - STANDARD APOLLO	0 - BARE STEM
	30 (300)	W - WAFER	25 (2.5")	C - A216 WCB	S - A351 CF8M (316 SS)				B - WCB BODY W/ CF8M RETAINER
	60 (600) ¹		03 (3")				2F - TFM/INCONEL GRAPHITE SEALS (FIRE SAFE)	C - NACE MR0103 COMPLIANT ⁵	2 - WORM GEAR OPERATOR
			04 (4")			A - ALLOY 20			2M - 316SS (METAL SEATED)
			05 (5")	STAINLESS STEEL		A - A351 CN7M (ALLOY 20)	B - 317 SS		
			06 (6")		S - A351 CF8M (316 SS)		H - HASTELLOY® C		
			08 (8")			B - A351 CG8M (317 SS)	J - DUPLEX		
			10 (10")				K - SUPER DUPLEX		7 - LOCKING WORM GEAR OPERATOR
			12 (12")		A - A351 CN7M (ALLOY 20)	J - A995 CD3MN (2205 DUPLEX)	M - MONEL®		
			14 (14")				S - 316 SS		8 - LOCKING WORM GEAR OPERATOR W/ CHAIN WHEEL
			16 (16")		B - A351 CG8M (317 SS)	K - A995 CD3MWCUN (2507 SUPER DUPLEX)			
			18 (18")						
			20 (20")		J - A995 CD3MN (2205 DUPLEX)				
			24 (24")						
			30 (30") ²		K - A995 CD3MWCUN (2507 SUPER DUPLEX)	NICKEL ALLOYS			
			36 (36") ²			H - A494 CW12MW (HASTELLOY® C)			
				NICKEL ALLOYS	M - A494 M-35-1 (MONEL®)				
				H - A494 CW12MW (HASTELLOY® C)					
				M - A494 M-35-1 (MONEL®)					

EXAMPLE:
215L06CSP8TA0 = 6" Class 150 Lug, Carbon Steel Body, SS Disc, 17-4 PH Stem, TFM 1700 Seats, Standard Service, Bare Stem

() Represents close wrought equivalent
¹ Class 600 valves available in sizes 3" through 12" (excluding 5" size)
² 215L Only
³ UHMWPE not available in Class 600
⁴ Standard handle can be locked in the full open or fully closed position.
 Lever operators are available with 2"-12" class 150 valves (215), and 2"-10" class 300 valves (230)
 See table for Lever Handle Availability & Maximum Differential Pressure
⁵ Only fire safe seat materials are NACE MR0103 Compliant

Safety Warning:

Gear operators are normally specified for larger high performance butterfly valves because the force of the pipeline flow on the disc can be too great to safely use a handle.

LEVER HANDLE AVAILABILITY & MAXIMUM DIFFERENTIAL PRESSURE

			SOFT SEAT (CODES: 8T & 21)		FIRE-SAFE SEAT (CODE: 2F)		METAL SEAT (CODE: 2M)	
			PSI	BAR	PSI	BAR	PSI	BAR
Class 150	215	2"-6"	Full Rating		Full Rating		Full Rating	
		8"	150	10.3	Not Available		Not Available	
		10"-12"	50	3.4	Not Available		Not Available	
Class 300	230	2"-4"	Full Rating		Full Rating		Full Rating	
		6"-8"	150	10.3	Not Available		Not Available	
		10"	50	3.4	Not Available		Not Available	



high performance butterfly valve price list

CLASS 150 BARE STEM

DOUBLE OFFSET, HIGH PERFORMANCE BUTTERFLY VALVE									
ASME CLASS 150									
LUG STYLE									
BARE STEM									
WCB BODY + CF8M DISC									
SIZE		SOFT SEAT (8T)		UHMWPE SEAT (2I)		FIRE-SAFE SEAT (2F)		METAL SEAT (2M)	
INCH	(DN)	BARE STEM	LIST	BARE STEM	LIST	BARE STEM	LIST	BARE STEM	LIST
2	(50)	215L02CSP8TAO	1218.33	215L02CSP2IAO	1279.25	215L02CSP2FAO	1666.84	215L02CSP2MAO	1666.84
2.5	(65)	215L25CSP8TAO	1329.24	215L25CSP2IAO	1395.70	215L25CSP2FAO	1663.59	215L25CSP2MAO	1746.77
3	(80)	215L03CSP8TAO	1383.05	215L03CSP2IAO	1452.20	215L03CSP2FAO	1679.04	215L03CSP2MAO	1851.14
4	(100)	215L04CSP8TAO	1674.99	215L04CSP2IAO	1758.74	215L04CSP2FAO	1823.10	215L04CSP2MAO	2110.47
5	(125)	215L05CSP8TAO	2165.93	215L05CSP2IAO	2274.23	215L05CSP2FAO	2671.66	215L05CSP2MAO	2805.24
6	(150)	215L06CSP8TAO	2377.95	215L06CSP2IAO	2496.85	215L06CSP2FAO	2680.56	215L06CSP2MAO	2680.56
8	(200)	215L08CSP8TAO	3375.32	215L08CSP2IAO	3544.09	215L08CSP2FAO	3790.05	215L08CSP2MAO	4178.53
10	(250)	215L10CSP8TAO	4976.08	215L10CSP2IAO	5224.88	215L10CSP2FAO	5738.32	215L10CSP2MAO	6326.50
12	(300)	215L12CSP8TAO	6460.23	215L12CSP2IAO	6783.24	215L12CSP2FAO	7384.81	215L12CSP2MAO	8141.75
14	(350)	215L14CSP8TAO	9019.24	215L14CSP2IAO	9470.20	215L14CSP2FAO	9770.96	215L14CSP2MAO	10912.77
16	(400)	215L16CSP8TAO	12530.67	215L16CSP2IAO	13157.20	215L16CSP2FAO	14010.73	215L16CSP2MAO	14955.92
18	(450)	215L18CSP8TAO	16321.03	215L18CSP2IAO	17137.08	215L18CSP2FAO	17783.68	215L18CSP2MAO	18855.53
20	(500)	215L20CSP8TAO	20514.24	215L20CSP2IAO	21539.95	215L20CSP2FAO	22114.28	215L20CSP2MAO	22905.21
24	(600)	215L24CSP8TAO	29647.61	215L24CSP2IAO	31129.99	215L24CSP2FAO	32394.00	215L24CSP2MAO	33579.86
30	(750)	215L30CSP8TAO	63832.55						
36	(900)	215L36CSP8TAO	101810.36						

DOUBLE OFFSET, HIGH PERFORMANCE BUTTERFLY VALVE									
ASME CLASS 150									
WAFER STYLE									
BARE STEM									
WCB BODY + CF8M DISC									
SIZE		SOFT SEAT (8T)		UHMWPE SEAT (2I)		FIRESAFE SEAT (2F)		METAL SEAT (2M)	
INCH	(DN)	BARE STEM	LIST	BARE STEM	LIST	BARE STEM	LIST	BARE STEM	LIST
2	(50)	215W02CSP8TAO	996.51	215W02CSP2IAO	1046.34	215W02CSP2FAO	1249.70	215W02CSP2MAO	1446.69
2.5	(65)	215W25CSP8TAO	1092.76	215W25CSP2IAO	1147.40	215W25CSP2FAO	1518.42	215W25CSP2MAO	1518.42
3	(80)	215W03CSP8TAO	1162.86	215W03CSP2IAO	1221.00	215W03CSP2FAO	1470.46	215W03CSP2MAO	1621.18
4	(100)	215W04CSP8TAO	1352.07	215W04CSP2IAO	1419.67	215W04CSP2FAO	1619.87	215W04CSP2MAO	1785.90
5	(125)	215W05CSP8TAO	1674.99	215W05CSP2IAO	1758.74	215W05CSP2FAO	2330.63	215W05CSP2MAO	2324.11
6	(150)	215W06CSP8TAO	1872.34	215W06CSP2IAO	1965.96	215W06CSP2FAO	2235.26	215W06CSP2MAO	2464.37
8	(200)	215W08CSP8TAO	2614.44	215W08CSP2IAO	2745.16	215W08CSP2FAO	3260.46	215W08CSP2MAO	3594.65
10	(250)	215W10CSP8TAO	4131.23	215W10CSP2IAO	4337.79	215W10CSP2FAO	5512.65	215W10CSP2MAO	5512.65
12	(300)	215W12CSP8TAO	5434.36	215W12CSP2IAO	5706.08	215W12CSP2FAO	6173.73	215W12CSP2MAO	7146.87
14	(350)	215W14CSP8TAO	7895.48	215W14CSP2IAO	8290.25	215W14CSP2FAO	8766.51	215W14CSP2MAO	9816.74
16	(400)	215W16CSP8TAO	11110.10	215W16CSP2IAO	11665.61	215W16CSP2FAO	12081.69	215W16CSP2MAO	13574.51
18	(450)	215W18CSP8TAO	14655.83	215W18CSP2IAO	15388.62	215W18CSP2FAO	17054.96	215W18CSP2MAO	17235.98
20	(500)	215W20CSP8TAO	17852.52	215W20CSP2IAO	18745.15	215W20CSP2FAO	20633.29	215W20CSP2MAO	20308.72
24	(600)	215W24CSP8TAO	24027.32	215W24CSP2IAO	25228.69	215W24CSP2FAO	30326.09	215W24CSP2MAO	29892.24

high performance butterfly valve price list

CLASS 150 BARE STEM

DOUBLE OFFSET, HIGH PERFORMANCE BUTTERFLY VALVE									
ASME CLASS 150									
LUG STYLE									
BARE STEM									
CF8M BODY + CF8M DISC									
SIZE		SOFT SEAT (8T)		UHMWPE SEAT (2I)		FIRESAFE SEAT (2F)		METAL SEAT (2M)	
INCH	(DN)	BARE STEM	LIST	BARE STEM	LIST	BARE STEM	LIST	BARE STEM	LIST
2	(50)	215L02SSP8TAO	1851.14	215L02SSP2IAO	1943.70	215L02SSP2FAO	2284.97	215L02SSP2MAO	2284.97
2.5	(65)	215L25SSP8TAO	2022.38	215L25SSP2IAO	2123.50	215L25SSP2FAO	2199.76	215L25SSP2MAO	2425.24
3	(80)	215L03SSP8TAO	2172.44	215L03SSP2IAO	2281.06	215L03SSP2FAO	2358.07	215L03SSP2MAO	2599.77
4	(100)	215L04SSP8TAO	2947.14	215L04SSP2IAO	3094.50	215L04SSP2FAO	2860.04	215L04SSP2MAO	3310.85
5	(125)	215L05SSP8TAO	3767.53	215L05SSP2IAO	3955.91	215L05SSP2FAO	4151.95	215L05SSP2MAO	4359.55
6	(150)	215L06SSP8TAO	3958.35	215L06SSP2IAO	4156.27	215L06SSP2FAO	4077.03	215L06SSP2MAO	4494.92
8	(200)	215L08SSP8TAO	6183.00	215L08SSP2IAO	6492.15	215L08SSP2FAO	6409.92	215L08SSP2MAO	6730.42
10	(250)	215L10SSP8TAO	8725.65	215L10SSP2IAO	9161.93	215L10SSP2FAO	8616.74	215L10SSP2MAO	9974.96
12	(300)	215L12SSP8TAO	11733.14	215L12SSP2IAO	12319.80	215L12SSP2FAO	13266.25	215L12SSP2MAO	13266.25
14	(350)	215L14SSP8TAO	16061.70	215L14SSP2IAO	16864.79	215L14SSP2FAO	16769.38	215L14SSP2MAO	17668.19
16	(400)	215L16SSP8TAO	20592.52	215L16SSP2IAO	21622.15	215L16SSP2FAO	21755.46	215L16SSP2MAO	23087.87
18	(450)	215L18SSP8TAO	26261.74	215L18SSP2IAO	27574.83	215L18SSP2FAO	26980.75	215L18SSP2MAO	28510.83
20	(500)	215L20SSP8TAO	33462.41	215L20SSP2IAO	35135.53	215L20SSP2FAO	34094.84	215L20SSP2MAO	35483.21
24	(600)	215L24SSP8TAO	49851.96	215L24SSP2IAO	52344.56	215L24SSP2FAO	51092.56	215L24SSP2MAO	53206.83
30	(750)	215L30SSP8TAO	99147.83						
36	(900)	215L36SSP8TAO	160358.63						

DOUBLE OFFSET, HIGH PERFORMANCE BUTTERFLY VALVE									
ASME CLASS 150									
WAFER STYLE									
BARE STEM									
CF8M BODY + CF8M DISC									
SIZE		SOFT SEAT (8T)		UHMWPE SEAT (2I)		FIRESAFE SEAT (2F)		METAL SEAT (2M)	
INCH	(DN)	BARE STEM	LIST	BARE STEM	LIST	BARE STEM	LIST	BARE STEM	LIST
2	(50)	215W02SSP8TAO	1495.59	215W02SSP2IAO	1570.37	215W02SSP2FAO	1935.97	215W02SSP2MAO	1935.97
2.5	(65)	215W25SSP8TAO	1674.99	215W25SSP2IAO	1758.74	215W25SSP2FAO	2094.15	215W25SSP2MAO	2094.15
3	(80)	215W03SSP8TAO	1818.54	215W03SSP2IAO	1909.47	215W03SSP2FAO	2267.04	215W03SSP2MAO	2267.04
4	(100)	215W04SSP8TAO	2061.54	215W04SSP2IAO	2164.62	215W04SSP2FAO	2482.34	215W04SSP2MAO	2482.34
5	(125)	215W05SSP8TAO	2679.67	215W05SSP2IAO	2813.65	215W05SSP2FAO	3302.69	215W05SSP2MAO	3302.69
6	(150)	215W06SSP8TAO	2891.69	215W06SSP2IAO	3036.27	215W06SSP2FAO	3460.89	215W06SSP2MAO	3460.89
8	(200)	215W08SSP8TAO	4628.67	215W08SSP2IAO	4860.10	215W08SSP2FAO	5551.78	215W08SSP2MAO	5551.78
10	(250)	215W10SSP8TAO	6626.61	215W10SSP2IAO	6957.94	215W10SSP2FAO	7936.26	215W10SSP2MAO	7960.72
12	(300)	215W12SSP8TAO	9247.55	215W12SSP2IAO	9709.93	215W12SSP2FAO	9846.42	215W12SSP2MAO	10855.68
14	(350)	215W14SSP8TAO	13108.03	215W14SSP2IAO	13763.43	215W14SSP2FAO	14734.09	215W14SSP2MAO	14884.17
16	(400)	215W16SSP8TAO	17048.42	215W16SSP2IAO	17900.84	215W16SSP2FAO	17317.03	215W16SSP2MAO	19336.68
18	(450)	215W18SSP8TAO	19436.92	215W18SSP2IAO	20408.77	215W18SSP2FAO	23640.78	215W18SSP2MAO	23812.04
20	(500)	215W20SSP8TAO	26814.62	215W20SSP2IAO	28155.35	215W20SSP2FAO	29339.35	215W20SSP2MAO	29024.58
24	(600)	215W24SSP8TAO	40408.68	215W24SSP2IAO	42429.11	215W24SSP2FAO	44466.51	215W24SSP2MAO	44032.68

high performance butterfly valve price list

CLASS 150 LEVER OPERATOR

DOUBLE OFFSET, HIGH PERFORMANCE BUTTERFLY VALVE									
ASME CLASS 150									
LUG STYLE									
LEVER OPERATOR									
WCB BODY + CF8M DISC									
SIZE		SOFT SEAT (8T)		UHMWPE SEAT (2I)		FIRE-SAFE SEAT (2F)		METAL SEAT (2M)	
INCH	(DN)	W/ LEVER	LIST	W/ LEVER	LIST	W/ LEVER	LIST	W/ LEVER	LIST
2	(50)	215L-02-CSP8TA1	1270.52	215L-02-CSP21A1	1334.05	215L-02-CSP2FA1	1560.69	215L-02-CSP2MA1	1720.66
2.5	(65)	215L-25-CSP8TA1	1383.05	215L-25-CSP21A1	1452.20	215L-25-CSP2FA1	1633.18	215L-25-CSP2MA1	1800.58
3	(80)	215L-03-CSP8TA1	1435.25	215L-03-CSP21A1	1507.01	215L-03-CSP2FA1	1726.38	215L-03-CSP2MA1	1903.34
4	(100)	215L-04-CSP8TA1	1738.61	215L-04-CSP21A1	1825.54	215L-04-CSP2FA1	1971.95	215L-04-CSP2MA1	2174.08
5	(125)	215L-05-CSP8TA1	2227.91	215L-05-CSP21A1	2339.31	215L-05-CSP2FA1	2600.67	215L-05-CSP2MA1	2867.24
6	(150)	215L-06-CSP8TA1	2441.53	215L-06-CSP21A1	2563.61	215L-06-CSP2FA1	2736.77	215L-06-CSP2MA1	3017.29
8	(200)	215L-08-CSP8TA1	3273.34	215L-08-CSP21A1	3437.01	215L-08-CSP2FA1	N/A **	215L-08-CSP2MA1	N/A **
10	(250)	215L-10-CSP8TA1	5033.15	215L-10-CSP21A1	5284.81	215L-10-CSP2FA1	N/A **	215L-10-CSP2MA1	N/A **
12	(300)	215L-12-CSP8TA1	5912.89	215L-12-CSP21A1	6208.53	215L-12-CSP2FA1	N/A **	215L-12-CSP2MA1	N/A **
14	(350)	215L-14-CSP8TA1	N/A **	215L-14-CSP21A1	N/A **	215L-14-CSP2FA1	N/A **	215L-14-CSP2MA1	N/A **
16	(400)	215L-16-CSP8TA1	N/A **	215L-16-CSP21A1	N/A **	215L-16-CSP2FA1	N/A **	215L-16-CSP2MA1	N/A **
18	(450)	215L-18-CSP8TA1	N/A **	215L-18-CSP21A1	N/A **	215L-18-CSP2FA1	N/A **	215L-18-CSP2MA1	N/A **
20	(500)	215L-20-CSP8TA1	N/A **	215L-20-CSP21A1	N/A **	215L-20-CSP2FA1	N/A **	215L-20-CSP2MA1	N/A **
24	(600)	215L-24-CSP8TA1	N/A **	215L-24-CSP21A1	N/A **	215L-24-CSP2FA1	N/A **	215L-24-CSP2MA1	N/A **
30	(750)	215L-30-CSP8TA1	N/A **						
36	(900)	215L-36-CSP8TA1	N/A **						

** USE MANUAL GEAR OR ACTUATOR

DOUBLE OFFSET, HIGH PERFORMANCE BUTTERFLY VALVE									
ASME CLASS 150									
WAFFER STYLE									
LEVER OPERATOR									
WCB BODY + CF8M DISC									
SIZE		SOFT SEAT (8T)		UHMWPE SEAT (2I)		FIRE-SAFE SEAT (2F)		METAL SEAT (2M)	
INCH	(DN)	W/ LEVER	LIST	W/ LEVER	LIST	W/ LEVER	LIST	W/ LEVER	LIST
2	(50)	215W-02-CSP8TA1	1050.36	215W-02-CSP21A1	1102.88	215W-02-CSP2FA1	1296.18	215W-02-CSP2MA1	1500.49
2.5	(65)	215W-25-CSP8TA1	1146.56	215W-25-CSP21A1	1203.89	215W-25-CSP2FA1	1572.23	215W-25-CSP2MA1	1572.23
3	(80)	215W-03-CSP8TA1	1216.72	215W-03-CSP21A1	1277.56	215W-03-CSP2FA1	1517.80	215W-03-CSP2MA1	1673.37
4	(100)	215W-04-CSP8TA1	1415.66	215W-04-CSP21A1	1486.44	215W-04-CSP2FA1	1677.56	215W-04-CSP2MA1	1849.51
5	(125)	215W-05-CSP8TA1	1738.61	215W-05-CSP21A1	1825.54	215W-05-CSP2FA1	2170.18	215W-05-CSP2MA1	2386.09
6	(150)	215W-06-CSP8TA1	1935.97	215W-06-CSP21A1	2032.77	215W-06-CSP2FA1	2292.97	215W-06-CSP2MA1	2528.00
8	(200)	215W-08-CSP8TA1	2673.15	215W-08-CSP21A1	2806.81	215W-08-CSP2FA1	N/A **	215W-08-CSP2MA1	N/A **
10	(250)	215W-10-CSP8TA1	4189.93	215W-10-CSP21A1	4399.43	215W-10-CSP2FA1	N/A **	215W-10-CSP2MA1	N/A **
12	(300)	215W-12-CSP8TA1	5493.09	215W-12-CSP21A1	5767.74	215W-12-CSP2FA1	N/A **	215W-12-CSP2MA1	N/A **
14	(350)	215W-14-CSP8TA1	N/A **	215W-14-CSP21A1	N/A **	215W-14-CSP2FA1	N/A **	215W-14-CSP2MA1	N/A **
16	(400)	215W-16-CSP8TA1	N/A **	215W-16-CSP21A1	N/A **	215W-16-CSP2FA1	N/A **	215W-16-CSP2MA1	N/A **
18	(450)	215W-18-CSP8TA1	N/A **	215W-18-CSP21A1	N/A **	215W-18-CSP2FA1	N/A **	215W-18-CSP2MA1	N/A **
20	(500)	215W-20-CSP8TA1	N/A **	215W-20-CSP21A1	N/A **	215W-20-CSP2FA1	N/A **	215W-20-CSP2MA1	N/A **
24	(600)	215W-24-CSP8TA1	N/A **	215W-24-CSP21A1	N/A **	215W-24-CSP2FA1	N/A **	215W-24-CSP2MA1	N/A **

** USE MANUAL GEAR OR ACTUATOR

high performance butterfly valve price list

CLASS 150 LEVER OPERATOR

DOUBLE OFFSET, HIGH PERFORMANCE BUTTERFLY VALVE									
ASME CLASS 150									
LUG STYLE									
LEVER OPERATOR									
CF8M BODY + CF8M DISC									
SIZE		SOFT SEAT (8T)		UHMWPE SEAT (21)		FIRE-SAFE SEAT (2F)		METAL SEAT (2M)	
INCH	(DN)	W/ LEVER	LIST	W/ LEVER	LIST	W/ LEVER	LIST	W/ LEVER	LIST
2	(50)	215L-02-SSP8TA1	1903.34	215L-02-SSP21A1	1726.38	215L-02-SSP2FA1	2119.87	215L-02-SSP2MA1	2337.15
2.5	(65)	215L-25-SSP8TA1	2076.22	215L-25-SSP21A1	1883.18	215L-25-SSP2FA1	2479.07	215L-25-SSP2MA1	2479.07
3	(80)	215L-03-SSP8TA1	2224.64	215L-03-SSP21A1	1980.91	215L-03-SSP2FA1	2653.58	215L-03-SSP2MA1	2653.58
4	(100)	215L-04-SSP8TA1	3010.76	215L-04-SSP21A1	2760.01	215L-04-SSP2FA1	3059.25	215L-04-SSP2MA1	3372.82
5	(125)	215L-05-SSP8TA1	3831.12	215L-05-SSP21A1	3474.95	215L-05-SSP2FA1	4011.95	215L-05-SSP2MA1	4423.18
6	(150)	215L-06-SSP8TA1	4020.33	215L-06-SSP21A1	3536.31	215L-06-SSP2FA1	4133.25	215L-06-SSP2MA1	4556.91
8	(200)	215L-08-SSP8TA1	6241.68	215L-08-SSP21A1	5661.39	215L-08-SSP2FA1	N/A **	215L-08-SSP2MA1	N/A **
10	(250)	215L-10-SSP8TA1	8784.35	215L-10-SSP21A1	7967.67	215L-10-SSP2FA1	N/A **	215L-10-SSP2MA1	N/A **
12	(300)	215L-12-SSP8TA1	11791.86	215L-12-SSP21A1	10695.56	215L-12-SSP2FA1	N/A **	215L-12-SSP2MA1	N/A **
14	(350)	215L-14-SSP8TA1	N/A **	215L-14-SSP21A1	N/A **	215L-14-SSP2FA1	N/A **	215L-14-SSP2MA1	N/A **
16	(400)	215L-16-SSP8TA1	N/A **	215L-16-SSP21A1	N/A **	215L-16-SSP2FA1	N/A **	215L-16-SSP2MA1	N/A **
18	(450)	215L-18-SSP8TA1	N/A **	215L-18-SSP21A1	N/A **	215L-18-SSP2FA1	N/A **	215L-18-SSP2MA1	N/A **
20	(500)	215L-20-SSP8TA1	N/A **	215L-20-SSP21A1	N/A **	215L-20-SSP2FA1	N/A **	215L-20-SSP2MA1	N/A **
24	(600)	215L-24-SSP8TA1	N/A **	215L-24-SSP21A1	N/A **	215L-24-SSP2FA1	N/A **	215L-24-SSP2MA1	N/A **
30	(750)	215L-30-SSP8TA1	N/A **						
36	(900)	215L-36-SSP8TA1	N/A **						

** USE MANUAL GEAR OR ACTUATOR

DOUBLE OFFSET, HIGH PERFORMANCE BUTTERFLY VALVE									
ASME CLASS 150									
WAFER STYLE									
LEVER OPERATOR									
CF8M BODY + CF8M DISC									
SIZE		SOFT SEAT (8T)		UHMWPE SEAT (21)		FIRE-SAFE SEAT (2F)		METAL SEAT (2M)	
INCH	(DN)	W/ LEVER	LIST	W/ LEVER	LIST	W/ LEVER	LIST	W/ LEVER	LIST
2	(50)	215W-02-SSP8TA1	1547.77	215W-02-SSP21A1	1403.88	215W-02-SSP2FA1	1803.30	215W-02-SSP2MA1	1988.14
2.5	(65)	215W-25-SSP8TA1	1728.84	215W-25-SSP21A1	1568.10	215W-25-SSP2FA1	2146.34	215W-25-SSP2MA1	2146.34
3	(80)	215W-03-SSP8TA1	1870.71	215W-03-SSP21A1	1696.79	215W-03-SSP2FA1	2105.09	215W-03-SSP2MA1	2320.86
4	(100)	215W-04-SSP8TA1	2125.15	215W-04-SSP21A1	1927.57	215W-04-SSP2FA1	2307.75	215W-04-SSP2MA1	2544.30
5	(125)	215W-05-SSP8TA1	2741.66	215W-05-SSP21A1	2486.75	215W-05-SSP2FA1	3366.31	215W-05-SSP2MA1	3366.31
6	(150)	215W-06-SSP8TA1	2953.66	215W-06-SSP21A1	2679.06	215W-06-SSP2FA1	3196.82	215W-06-SSP2MA1	3524.49
8	(200)	215W-08-SSP8TA1	4685.75	215W-08-SSP21A1	4250.10	215W-08-SSP2FA1	N/A **	215W-08-SSP2MA1	N/A **
10	(250)	215W-10-SSP8TA1	6685.30	215W-10-SSP21A1	6063.76	215W-10-SSP2FA1	N/A **	215W-10-SSP2MA1	N/A **
12	(300)	215W-12-SSP8TA1	9306.27	215W-12-SSP21A1	8441.06	215W-12-SSP2FA1	N/A **	215W-12-SSP2MA1	N/A **
14	(350)	215W-14-SSP8TA1	N/A **	215W-14-SSP21A1	N/A **	215W-14-SSP2FA1	N/A **	215W-14-SSP2MA1	N/A **
16	(400)	215W-16-SSP8TA1	N/A **	215W-16-SSP21A1	N/A **	215W-16-SSP2FA1	N/A **	215W-16-SSP2MA1	N/A **
18	(450)	215W-18-SSP8TA1	N/A **	215W-18-SSP21A1	N/A **	215W-18-SSP2FA1	N/A **	215W-18-SSP2MA1	N/A **
20	(500)	215W-20-SSP8TA1	N/A **	215W-20-SSP21A1	N/A **	215W-20-SSP2FA1	N/A **	215W-20-SSP2MA1	N/A **
24	(600)	215W-24-SSP8TA1	N/A **	215W-24-SSP21A1	N/A **	215W-24-SSP2FA1	N/A **	215W-24-SSP2MA1	N/A **

** USE MANUAL GEAR OR ACTUATOR



high performance butterfly valve price list

CLASS 150 GEAR OPERATOR

DOUBLE OFFSET, HIGH PERFORMANCE BUTTERFLY VALVE									
ASME CLASS 150									
LUG STYLE									
GEAR OPERATOR									
WCB BODY + CF8M DISC									
SIZE		SOFT SEAT (8T)		UHMWPE SEAT (2I)		FIRE-SAFE SEAT (2F)		METAL SEAT (2M)	
INCH	(DN)	W/ GEAR	LIST	W/ GEAR	LIST	W/ GEAR	LIST	W/ GEAR	LIST
2	(50)	215L-02-CSP8TA2	1466.23	215L-02-CSP2IA2	1539.54	215L-02-CSP2FA2	1823.57	215L-02-CSP2MA2	1914.75
2.5	(65)	215L-25-CSP8TA2	1577.15	215L-25-CSP2IA2	1656.01	215L-25-CSP2FA2	1899.68	215L-25-CSP2MA2	1994.66
3	(80)	215L-03-CSP8TA2	1629.33	215L-03-CSP2IA2	1710.80	215L-03-CSP2FA2	1999.11	215L-03-CSP2MA2	2099.07
4	(100)	215L-04-CSP8TA2	1922.91	215L-04-CSP2IA2	2019.06	215L-04-CSP2FA2	2037.25	215L-04-CSP2MA2	2358.37
5	(125)	215L-05-CSP8TA2	2413.81	215L-05-CSP2IA2	2534.50	215L-05-CSP2FA2	2906.22	215L-05-CSP2MA2	3051.53
6	(150)	215L-06-CSP8TA2	2738.39	215L-06-CSP2IA2	2875.31	215L-06-CSP2FA2	3007.47	215L-06-CSP2MA2	3315.73
8	(200)	215L-08-CSP8TA2	3575.06	215L-08-CSP2IA2	3753.81	215L-08-CSP2FA2	4322.82	215L-08-CSP2MA2	4538.96
10	(250)	215L-10-CSP8TA2	5336.50	215L-10-CSP2IA2	5603.33	215L-10-CSP2FA2	6065.24	215L-10-CSP2MA2	6686.93
12	(300)	215L-12-CSP8TA2	6820.70	215L-12-CSP2IA2	7161.74	215L-12-CSP2FA2	7711.74	215L-12-CSP2MA2	8502.20
14	(350)	215L-14-CSP8TA2	9488.96	215L-14-CSP2IA2	9963.41	215L-14-CSP2FA2	10197.01	215L-14-CSP2MA2	11382.47
16	(400)	215L-16-CSP8TA2	13517.40	215L-16-CSP2IA2	14193.27	215L-16-CSP2FA2	14238.55	215L-16-CSP2MA2	15942.63
18	(450)	215L-18-CSP8TA2	17309.40	215L-18-CSP2IA2	18174.87	215L-18-CSP2FA2	17831.85	215L-18-CSP2MA2	19843.91
20	(500)	215L-20-CSP8TA2	21500.96	215L-20-CSP2IA2	22576.01	215L-20-CSP2FA2	23054.02	215L-20-CSP2MA2	23891.95
24	(600)	215L-24-CSP8TA2	31753.17	215L-24-CSP2IA2	33340.83	215L-24-CSP2FA2	34399.30	215L-24-CSP2MA2	35685.42
30	(750)	215L-30-CSP8TA2	71171.89						
36	(900)	215L-36-CSP8TA2	114942.24						

DOUBLE OFFSET, HIGH PERFORMANCE BUTTERFLY VALVE									
ASME CLASS 150									
WAFFER STYLE									
GEAR OPERATOR									
WCB BODY + CF8M DISC									
SIZE		SOFT SEAT (8T)		UHMWPE SEAT (2I)		FIRE-SAFE SEAT (2F)		METAL SEAT (2M)	
INCH	(DN)	W/ GEAR	LIST	W/ GEAR	LIST	W/ GEAR	LIST	W/ GEAR	LIST
2	(50)	215W-02-CSP8TA2	1244.44	215W-02-CSP2IA2	1306.66	215W-02-CSP2FA2	1463.83	215W-02-CSP2MA2	1694.57
2.5	(65)	215W-25-CSP8TA2	1340.65	215W-25-CSP2IA2	1407.68	215W-25-CSP2FA2	1766.34	215W-25-CSP2MA2	1766.34
3	(80)	215W-03-CSP8TA2	1410.77	215W-03-CSP2IA2	1481.31	215W-03-CSP2FA2	1867.45	215W-03-CSP2MA2	1867.45
4	(100)	215W-04-CSP8TA2	1599.98	215W-04-CSP2IA2	1679.98	215W-04-CSP2FA2	2033.81	215W-04-CSP2MA2	2033.81
5	(125)	215W-05-CSP8TA2	1922.91	215W-05-CSP2IA2	2019.06	215W-05-CSP2FA2	2576.92	215W-05-CSP2MA2	2572.03
6	(150)	215W-06-CSP8TA2	2232.78	215W-06-CSP2IA2	2344.42	215W-06-CSP2FA2	2824.83	215W-06-CSP2MA2	2824.83
8	(200)	215W-08-CSP8TA2	2974.86	215W-08-CSP2IA2	3123.60	215W-08-CSP2FA2	3587.37	215W-08-CSP2MA2	3955.08
10	(250)	215W-10-CSP8TA2	4491.67	215W-10-CSP2IA2	4716.25	215W-10-CSP2FA2	5327.07	215W-10-CSP2MA2	5873.09
12	(300)	215W-12-CSP8TA2	5794.79	215W-12-CSP2IA2	6084.53	215W-12-CSP2FA2	6485.10	215W-12-CSP2MA2	7507.30
14	(350)	215W-14-CSP8TA2	8365.19	215W-14-CSP2IA2	8783.45	215W-14-CSP2FA2	8756.22	215W-14-CSP2MA2	10286.48
16	(400)	215W-16-CSP8TA2	12096.85	215W-16-CSP2IA2	12701.69	215W-16-CSP2FA2	12358.74	215W-16-CSP2MA2	14561.22
18	(450)	215W-18-CSP8TA2	15642.54	215W-18-CSP2IA2	16424.67	215W-18-CSP2FA2	16364.36	215W-18-CSP2MA2	18222.72
20	(500)	215W-20-CSP8TA2	18839.23	215W-20-CSP2IA2	19781.19	215W-20-CSP2FA2	21620.01	215W-20-CSP2MA2	21295.45
24	(600)	215W-24-CSP8TA2	26132.87	215W-24-CSP2IA2	27439.51	215W-24-CSP2FA2	32431.64	215W-24-CSP2MA2	31997.83



high performance butterfly valve price list

CLASS 150 GEAR OPERATOR

DOUBLE OFFSET, HIGH PERFORMANCE BUTTERFLY VALVE									
ASME CLASS 150									
LUG STYLE									
GEAR OPERATOR									
CF8M BODY + CF8M DISC									
SIZE		SOFT SEAT (8T)		UHMWPE SEAT (2I)		FIRE-SAFE SEAT (2F)		METAL SEAT (2M)	
INCH	(DN)	W/ GEAR	LIST	W/ GEAR	LIST	W/ GEAR	LIST	W/ GEAR	LIST
2	(50)	215L-02-SSP8TA2	2099.07	215L-02-SSP21A2	2204.02	215L-02-SSP2FA2	2412.26	215L-02-SSP2MA2	2532.87
2.5	(65)	215L-25-SSP8TA2	2270.30	215L-25-SSP21A2	2383.82	215L-25-SSP2FA2	2545.86	215L-25-SSP2MA2	2673.15
3	(80)	215L-03-SSP8TA2	2418.72	215L-03-SSP21A2	2539.66	215L-03-SSP2FA2	2582.92	215L-03-SSP2MA2	2847.67
4	(100)	215L-04-SSP8TA2	3195.06	215L-04-SSP21A2	3354.81	215L-04-SSP2FA2	3074.19	215L-04-SSP2MA2	3558.78
5	(125)	215L-05-SSP8TA2	4015.44	215L-05-SSP21A2	4216.21	215L-05-SSP2FA2	4388.04	215L-05-SSP2MA2	4607.44
6	(150)	215L-06-SSP8TA2	4318.79	215L-06-SSP21A2	4534.73	215L-06-SSP2FA2	4624.17	215L-06-SSP2MA2	4855.38
8	(200)	215L-08-SSP8TA2	6543.40	215L-08-SSP21A2	6870.57	215L-08-SSP2FA2	6736.87	215L-08-SSP2MA2	7427.40
10	(250)	215L-10-SSP8TA2	9086.09	215L-10-SSP21A2	9540.39	215L-10-SSP2FA2	9374.52	215L-10-SSP2MA2	10335.41
12	(300)	215L-12-SSP8TA2	12093.57	215L-12-SSP21A2	12698.25	215L-12-SSP2FA2	13626.69	215L-12-SSP2MA2	13626.69
14	(350)	215L-14-SSP8TA2	16531.41	215L-14-SSP21A2	17357.98	215L-14-SSP2FA2	18077.57	215L-14-SSP2MA2	18221.09
16	(400)	215L-16-SSP8TA2	21579.25	215L-16-SSP21A2	22658.21	215L-16-SSP2FA2	21614.48	215L-16-SSP2MA2	24074.61
18	(450)	215L-18-SSP8TA2	27248.46	215L-18-SSP21A2	28610.88	215L-18-SSP2FA2	26590.96	215L-18-SSP2MA2	29497.58
20	(500)	215L-20-SSP8TA2	34449.17	215L-20-SSP21A2	36171.63	215L-20-SSP2FA2	35034.59	215L-20-SSP2MA2	36469.90
24	(600)	215L-24-SSP8TA2	51957.52	215L-24-SSP21A2	54555.40	215L-24-SSP2FA2	53097.87	215L-24-SSP2MA2	55312.41
30	(750)	215L-30-SSP8TA2	109069.22						
36	(900)	215L-36-SSP8TA2	180087.86						

DOUBLE OFFSET, HIGH PERFORMANCE BUTTERFLY VALVE									
ASME CLASS 150									
WAFER STYLE									
GEAR OPERATOR									
CF8M BODY + CF8M DISC									
SIZE		SOFT SEAT (8T)		UHMWPE SEAT (2I)		FIRE-SAFE SEAT (2F)		METAL SEAT (2M)	
INCH	(DN)	W/ GEAR	LIST	W/ GEAR	LIST	W/ GEAR	LIST	W/ GEAR	LIST
2	(50)	215W-02-SSP8TA2	1743.50	215W-02-SSP21A2	1830.68	215W-02-SSP2FA2	2182.23	215W-02-SSP2MA2	2182.23
2.5	(65)	215W-25-SSP8TA2	1922.91	215W-25-SSP21A2	2019.06	215W-25-SSP2FA2	2340.43	215W-25-SSP2MA2	2340.43
3	(80)	215W-03-SSP8TA2	2064.80	215W-03-SSP21A2	2168.04	215W-03-SSP2FA2	2514.95	215W-03-SSP2MA2	2514.95
4	(100)	215W-04-SSP8TA2	2309.44	215W-04-SSP21A2	2424.91	215W-04-SSP2FA2	2730.23	215W-04-SSP2MA2	2730.23
5	(125)	215W-05-SSP8TA2	2927.58	215W-05-SSP21A2	3073.96	215W-05-SSP2FA2	3220.50	215W-05-SSP2MA2	3550.61
6	(150)	215W-06-SSP8TA2	3250.52	215W-06-SSP21A2	3413.05	215W-06-SSP2FA2	3466.07	215W-06-SSP2MA2	3821.34
8	(200)	215W-08-SSP8TA2	4989.11	215W-08-SSP21A2	5238.57	215W-08-SSP2FA2	5912.22	215W-08-SSP2MA2	5912.22
10	(250)	215W-10-SSP8TA2	6987.03	215W-10-SSP21A2	7336.38	215W-10-SSP2FA2	7525.36	215W-10-SSP2MA2	8319.52
12	(300)	215W-12-SSP8TA2	9608.01	215W-12-SSP21A2	10088.41	215W-12-SSP2FA2	11216.12	215W-12-SSP2MA2	11216.12
14	(350)	215W-14-SSP8TA2	13577.74	215W-14-SSP21A2	14256.63	215W-14-SSP2FA2	15203.82	215W-14-SSP2MA2	15353.86
16	(400)	215W-16-SSP8TA2	18035.17	215W-16-SSP21A2	18936.93	215W-16-SSP2FA2	20080.40	215W-16-SSP2MA2	20323.40
18	(450)	215W-18-SSP8TA2	22417.55	215W-18-SSP21A2	23538.43	215W-18-SSP2FA2	24627.52	215W-18-SSP2MA2	24798.74
20	(500)	215W-20-SSP8TA2	27801.35	215W-20-SSP21A2	29191.42	215W-20-SSP2FA2	28881.99	215W-20-SSP2MA2	30011.32
24	(600)	215W-24-SSP8TA2	42514.26	215W-24-SSP21A2	44639.97	215W-24-SSP2FA2	46572.09	215W-24-SSP2MA2	46138.24



high performance butterfly valve price list

CLASS 300 BARE STEM

CURRENT PRICE									
ASME CLASS 300									
LUG STYLE									
BARE STEM									
WCB BODY + CF8M DISC									
SIZE		SOFT SEAT (8T)		UHMWPE SEAT (21)		FIRE-SAFE SEAT (2F)		METAL SEAT (2M)	
INCH	(DN)	BARE STEM	LIST	BARE STEM	LIST	BARE STEM	LIST	BARE STEM	LIST
2	(50)	230L-02-CSP8TA0	1337.37	230L-02-CSP21A0	1404.24	230L-02-CSP2FA0	1771.22	230L-02-CSP2MA0	1771.22
2.5	(65)	230L-25-CSP8TA0	1446.69	230L-25-CSP21A0	1519.02	230L-25-CSP2FA0	1864.19	230L-25-CSP2MA0	1864.19
3	(80)	230L-03-CSP8TA0	1565.73	230L-03-CSP21A0	1644.02	230L-03-CSP2FA0	2022.38	230L-03-CSP2MA0	2022.38
4	(100)	230L-04-CSP8TA0	1810.37	230L-04-CSP21A0	1900.89	230L-04-CSP2FA0	2205.06	230L-04-CSP2MA0	2205.06
5	(125)	230L-05-CSP8TA0	2495.38	230L-05-CSP21A0	2620.15	230L-05-CSP2FA0	3175.48	230L-05-CSP2MA0	3175.48
6	(150)	230L-06-CSP8TA0	3113.50	230L-06-CSP21A0	3269.18	230L-06-CSP2FA0	3417.26	230L-06-CSP2MA0	3767.53
8	(200)	230L-08-CSP8TA0	4684.11	230L-08-CSP21A0	4918.32	230L-08-CSP2FA0	5443.94	230L-08-CSP2MA0	6001.95
10	(250)	230L-10-CSP8TA0	6721.19	230L-10-CSP21A0	7057.25	230L-10-CSP2FA0	8260.81	230L-10-CSP2MA0	8260.81
12	(300)	230L-12-CSP8TA0	9224.71	230L-12-CSP21A0	9685.95	230L-12-CSP2FA0	10889.93	230L-12-CSP2MA0	10889.93
14	(350)	230L-14-CSP8TA0	14765.08	230L-14-CSP21A0	15503.33	230L-14-CSP2FA0	16407.46	230L-14-CSP2MA0	16550.99
16	(400)	230L-16-CSP8TA0	18397.23	230L-16-CSP21A0	19317.09	230L-16-CSP2FA0	20520.75	230L-16-CSP2MA0	21058.97
18	(450)	230L-18-CSP8TA0	24066.47	230L-18-CSP21A0	25269.79	230L-18-CSP2FA0	26868.45	230L-18-CSP2MA0	27476.79
20	(500)	230L-20-CSP8TA0	31265.52	230L-20-CSP21A0	32828.80	230L-20-CSP2FA0	34005.53	230L-20-CSP2MA0	34558.44
24	(600)	230L-24-CSP8TA0	41087.16	230L-24-CSP21A0	43141.52	230L-24-CSP2FA0	46382.91	230L-24-CSP2MA0	47703.97

DOUBLE OFFSET, HIGH PERFORMANCE BUTTERFLY VALVE									
ASME CLASS 300									
WAFER STYLE									
BARE STEM									
WCB BODY + CF8M DISC									
SIZE		SOFT SEAT (8T)		UHMWPE SEAT (21)		FIRE-SAFE SEAT (2F)		METAL SEAT (2M)	
INCH	(DN)	BARE STEM	LIST	BARE STEM	LIST	BARE STEM	LIST	BARE STEM	LIST
2	(50)	230W-02-CSP8TA0	1035.67	230W-02-CSP21A0	1087.45	230W-02-CSP2FA0	1495.59	230W-02-CSP2MA0	1495.59
2.5	(65)	230W-25-CSP8TA0	1131.89	230W-25-CSP21A0	1188.48	230W-25-CSP2FA0	1565.73	230W-25-CSP2MA0	1565.73
3	(80)	230W-03-CSP8TA0	1090.27	230W-03-CSP21A0	1144.78	230W-03-CSP2FA0	1666.84	230W-03-CSP2MA0	1666.84
4	(100)	230W-04-CSP8TA0	1423.83	230W-04-CSP21A0	1495.02	230W-04-CSP2FA0	1833.21	230W-04-CSP2MA0	1833.21
5	(125)	230W-05-CSP8TA0	1944.12	230W-05-CSP21A0	2041.33	230W-05-CSP2FA0	2640.52	230W-05-CSP2MA0	2640.52
6	(150)	230W-06-CSP8TA0	2346.96	230W-06-CSP21A0	2464.31	230W-06-CSP2FA0	3025.43	230W-06-CSP2MA0	3025.43
8	(200)	230W-08-CSP8TA0	3504.53	230W-08-CSP21A0	3679.76	230W-08-CSP2FA0	5206.03	230W-08-CSP2MA0	5206.03
10	(250)	230W-10-CSP8TA0	5259.84	230W-10-CSP21A0	5522.83	230W-10-CSP2FA0	6838.61	230W-10-CSP2MA0	6838.61
12	(300)	230W-12-CSP8TA0	7264.31	230W-12-CSP21A0	7627.53	230W-12-CSP2FA0	8978.45	230W-12-CSP2MA0	8978.45
14	(350)	230W-14-CSP8TA0	11821.20	230W-14-CSP21A0	12412.26	230W-14-CSP2FA0	13548.40	230W-14-CSP2MA0	13693.54
16	(400)	230W-16-CSP8TA0	15523.49	230W-16-CSP21A0	16299.66	230W-16-CSP2FA0	16035.93	230W-16-CSP2MA0	18216.20
18	(450)	230W-18-CSP8TA0	19550.34	230W-18-CSP21A0	20527.86	230W-18-CSP2FA0	26092.12	230W-18-CSP2MA0	23092.77
20	(500)	230W-20-CSP8TA0	26814.62	230W-20-CSP21A0	28155.35	230W-20-CSP2FA0	29686.76	230W-20-CSP2MA0	30231.50
24	(600)	230W-24-CSP8TA0	35386.95	230W-24-CSP21A0	37156.30	230W-24-CSP2FA0	38971.81	230W-24-CSP2MA0	40283.10

high performance butterfly valve price list

CLASS 300 BARE STEM

DOUBLE OFFSET, HIGH PERFORMANCE BUTTERFLY VALVE									
ASME CLASS 300									
LUG STYLE									
BARE STEM									
CF8M BODY + CF8M DISC									
SIZE		SOFT SEAT (8T)		UHMWPE SEAT (21)		FIRE-SAFE SEAT (2F)		METAL SEAT (2M)	
INCH	(DN)	BARE STEM	LIST	BARE STEM	LIST	BARE STEM	LIST	BARE STEM	LIST
2	(50)	230L-02-SSP8TAO	2022.38	230L-02-SSP2IAO	2123.50	230L-02-SSP2FAO	2449.71	230L-02-SSP2MAO	2449.71
2.5	(65)	230L-25-SSP8TAO	2165.93	230L-25-SSP2IAO	2274.23	230L-25-SSP2FAO	2560.62	230L-25-SSP2MAO	2560.62
3	(80)	230L-03-SSP8TAO	2363.26	230L-03-SSP2IAO	2481.42	230L-03-SSP2FAO	2537.04	230L-03-SSP2MAO	2797.08
4	(100)	230L-04-SSP8TAO	2971.63	230L-04-SSP2IAO	3120.21	230L-04-SSP2FAO	3341.85	230L-04-SSP2MAO	3341.85
5	(125)	230L-05-SSP8TAO	3942.04	230L-05-SSP2IAO	4139.14	230L-05-SSP2FAO	4573.21	230L-05-SSP2MAO	4573.21
6	(150)	230L-06-SSP8TAO	4811.34	230L-06-SSP2IAO	5051.91	230L-06-SSP2FAO	4906.92	230L-06-SSP2MAO	5409.88
8	(200)	230L-08-SSP8TAO	7825.36	230L-08-SSP2IAO	8216.63	230L-08-SSP2FAO	9040.42	230L-08-SSP2MAO	9040.42
10	(250)	230L-10-SSP8TAO	11702.15	230L-10-SSP2IAO	12287.26	230L-10-SSP2FAO	13108.03	230L-10-SSP2MAO	13108.03
12	(300)	230L-12-SSP8TAO	16353.63	230L-12-SSP2IAO	17171.31	230L-12-SSP2FAO	17813.34	230L-12-SSP2MAO	17813.34
14	(350)	230L-14-SSP8TAO	26617.28	230L-14-SSP2IAO	27948.14	230L-14-SSP2FAO	27910.63	230L-14-SSP2MAO	28060.67
16	(400)	230L-16-SSP8TAO	32363.16	230L-16-SSP2IAO	33981.32	230L-16-SSP2FAO	34036.52	230L-16-SSP2MAO	34574.75
18	(450)	230L-18-SSP8TAO	42713.22	230L-18-SSP2IAO	44848.88	230L-18-SSP2FAO	44988.41	230L-18-SSP2MAO	45593.50
20	(500)	230L-20-SSP8TAO	55692.41	230L-20-SSP2IAO	58477.03	230L-20-SSP2FAO	57739.28	230L-20-SSP2MAO	58290.53
24	(600)	230L-24-SSP8TAO	77862.07	230L-24-SSP2IAO	81755.17	230L-24-SSP2FAO	80222.08	230L-24-SSP2MAO	81541.51

DOUBLE OFFSET, HIGH PERFORMANCE BUTTERFLY VALVE									
ASME CLASS 300									
WAFER STYLE									
BARE STEM									
CF8M BODY + CF8M DISC									
SIZE		SOFT SEAT (8T)		UHMWPE SEAT (21)		FIRE-SAFE SEAT (2F)		METAL SEAT (2M)	
INCH	(DN)	BARE STEM	LIST	BARE STEM	LIST	BARE STEM	LIST	BARE STEM	LIST
2	(50)	230W-02-SSP8TAO	1541.25	230W-02-SSP2IAO	1618.31	230W-02-SSP2FAO	1975.10	230W-02-SSP2MAO	1975.10
2.5	(65)	230W-25-SSP8TAO	1723.91	230W-25-SSP2IAO	1810.11	230W-25-SSP2FAO	2133.30	230W-25-SSP2MAO	2133.30
3	(80)	230W-03-SSP8TAO	1857.68	230W-03-SSP2IAO	1950.56	230W-03-SSP2FAO	2093.25	230W-03-SSP2MAO	2307.81
4	(100)	230W-04-SSP8TAO	2126.78	230W-04-SSP2IAO	2233.12	230W-04-SSP2FAO	2513.30	230W-04-SSP2MAO	2513.30
5	(125)	230W-05-SSP8TAO	2764.47	230W-05-SSP2IAO	2902.69	230W-05-SSP2FAO	3116.95	230W-05-SSP2MAO	3436.44
6	(150)	230W-06-SSP8TAO	3547.35	230W-06-SSP2IAO	3724.72	230W-06-SSP2FAO	4186.68	230W-06-SSP2MAO	4186.68
8	(200)	230W-08-SSP8TAO	5537.11	230W-08-SSP2IAO	5813.97	230W-08-SSP2FAO	6823.95	230W-08-SSP2MAO	6823.95
10	(250)	230W-10-SSP8TAO	8821.86	230W-10-SSP2IAO	9262.95	230W-10-SSP2FAO	10304.43	230W-10-SSP2MAO	10304.43
12	(300)	230W-12-SSP8TAO	12199.58	230W-12-SSP2IAO	12809.56	230W-12-SSP2FAO	13778.35	230W-12-SSP2MAO	13778.35
14	(350)	230W-14-SSP8TAO	17513.27	230W-14-SSP2IAO	18388.93	230W-14-SSP2FAO	19067.56	230W-14-SSP2MAO	19219.25
16	(400)	230W-16-SSP8TAO	22738.86	230W-16-SSP2IAO	23875.80	230W-16-SSP2FAO	24689.50	230W-16-SSP2MAO	25234.22
18	(450)	230W-18-SSP8TAO	30011.32	230W-18-SSP2IAO	31511.89	230W-18-SSP2FAO	32646.94	230W-18-SSP2MAO	33255.31
20	(500)	230W-20-SSP8TAO	41434.56	230W-20-SSP2IAO	43506.29	230W-20-SSP2FAO	43897.32	230W-20-SSP2MAO	44442.05
24	(600)	230W-24-SSP8TAO	56041.45	230W-24-SSP2IAO	58843.52	230W-24-SSP2FAO	59032.62	230W-24-SSP2MAO	60343.92



high performance butterfly valve price list

CLASS 300 LEVER OPERATOR

DOUBLE OFFSET, HIGH PERFORMANCE BUTTERFLY VALVE									
ASME CLASS 300									
LUG STYLE									
LEVER OPERATOR									
WCB BODY + CF8M DISC									
SIZE		SOFT SEAT (8T)		UHMWPE SEAT (21)		FIRE-SAFE SEAT (2F)		METAL SEAT (2M)	
INCH	(DN)	W/ LEVER	LIST	W/ LEVER	LIST	W/ LEVER	LIST	W/ LEVER	LIST
2	(50)	230L-02-CSP8TA1	1389.58	230L-02-CSP21A1	1459.06	230L-02-CSP2FA1	1653.90	230L-02-CSP2MA1	1823.43
2.5	(65)	230L-25-CSP8TA1	1500.49	230L-25-CSP21A1	1575.51	230L-25-CSP2FA1	1739.69	230L-25-CSP2MA1	1918.00
3	(80)	230L-03-CSP8TA1	1619.54	230L-03-CSP21A1	1700.52	230L-03-CSP2FA1	1883.19	230L-03-CSP2MA1	2076.22
4	(100)	230L-04-CSP8TA1	1872.34	230L-04-CSP21A1	1965.96	230L-04-CSP2FA1	2056.28	230L-04-CSP2MA1	2267.04
5	(125)	230L-05-CSP8TA1	2558.98	230L-05-CSP21A1	2686.93	230L-05-CSP2FA1	2937.96	230L-05-CSP2MA1	3239.10
6	(150)	230L-06-CSP8TA1	3175.48	230L-06-CSP21A1	3334.25	230L-06-CSP2FA1	3474.94	230L-06-CSP2MA1	3831.12
8	(200)	230L-08-CSP8TA1	4742.83	230L-08-CSP21A1	4979.97	230L-08-CSP2FA1	N/A **	230L-08-CSP2MA1	N/A **
10	(250)	230L-10-CSP8TA1	6779.90	230L-10-CSP21A1	7118.90	230L-10-CSP2FA1	N/A **	230L-10-CSP2MA1	N/A **
12	(300)	230L-12-CSP8TA1	N/A **	230L-12-CSP21A1	N/A **	230L-12-CSP2FA1	N/A **	230L-12-CSP2MA1	N/A **
14	(350)	230L-14-CSP8TA1	N/A **	230L-14-CSP21A1	N/A **	230L-14-CSP2FA1	N/A **	230L-14-CSP2MA1	N/A **
16	(400)	230L-16-CSP8TA1	N/A **	230L-16-CSP21A1	N/A **	230L-16-CSP2FA1	N/A **	230L-16-CSP2MA1	N/A **
18	(450)	230L-18-CSP8TA1	N/A **	230L-18-CSP21A1	N/A **	230L-18-CSP2FA1	N/A **	230L-18-CSP2MA1	N/A **
20	(500)	230L-20-CSP8TA1	N/A **	230L-20-CSP21A1	N/A **	230L-20-CSP2FA1	N/A **	230L-20-CSP2MA1	N/A **
24	(600)	230L-24-CSP8TA1	N/A **	230L-24-CSP21A1	N/A **	230L-24-CSP2FA1	N/A **	230L-24-CSP2MA1	N/A **

** USE MANUAL GEAR OR ACTUATOR

DOUBLE OFFSET, HIGH PERFORMANCE BUTTERFLY VALVE									
ASME CLASS 300									
LUG STYLE									
LEVER OPERATOR									
WCB BODY + CF8M DISC									
SIZE		SOFT SEAT (8T)		UHMWPE SEAT (21)		FIRE-SAFE SEAT (2F)		METAL SEAT (2M)	
INCH	(DN)	W/ LEVER	LIST	W/ LEVER	LIST	W/ LEVER	LIST	W/ LEVER	LIST
2	(50)	230W-02-CSP8TA1	896.33	230W-02-CSP21A1	941.15	230W-02-CSP2FA1	1403.88	230W-02-CSP2MA1	1547.77
2.5	(65)	230W-25-CSP8TA1	975.48	230W-25-CSP21A1	1024.25	230W-25-CSP2FA1	1468.97	230W-25-CSP2MA1	1619.54
3	(80)	230W-03-CSP8TA1	1033.18	230W-03-CSP21A1	1084.84	230W-03-CSP2FA1	1560.69	230W-03-CSP2MA1	1720.66
4	(100)	230W-04-CSP8TA1	1222.37	230W-04-CSP21A1	1283.49	230W-04-CSP2FA1	1720.47	230W-04-CSP2MA1	1896.81
5	(125)	230W-05-CSP8TA1	1651.75	230W-05-CSP21A1	1734.34	230W-05-CSP2FA1	2451.26	230W-05-CSP2MA1	2702.51
6	(150)	230W-06-CSP8TA1	1983.17	230W-06-CSP21A1	2082.33	230W-06-CSP2FA1	2801.86	230W-06-CSP2MA1	3089.05
8	(200)	230W-08-CSP8TA1	3227.01	230W-08-CSP21A1	3388.36	230W-08-CSP2FA1	N/A **	230W-08-CSP2MA1	N/A **
10	(250)	230W-10-CSP8TA1	4375.59	230W-10-CSP21A1	4594.37	230W-10-CSP2FA1	N/A **	230W-10-CSP2MA1	N/A **
12	(300)	230W-12-CSP8TA1	N/A **	230W-12-CSP21A1	N/A **	230W-12-CSP2FA1	N/A **	230W-12-CSP2MA1	N/A **
14	(350)	230W-14-CSP8TA1	N/A **	230W-14-CSP21A1	N/A **	230W-14-CSP2FA1	N/A **	230W-14-CSP2MA1	N/A **
16	(400)	230W-16-CSP8TA1	N/A **	230W-16-CSP21A1	N/A **	230W-16-CSP2FA1	N/A **	230W-16-CSP2MA1	N/A **
18	(450)	230W-18-CSP8TA1	N/A **	230W-18-CSP21A1	N/A **	230W-18-CSP2FA1	N/A **	230W-18-CSP2MA1	N/A **
20	(500)	230W-20-CSP8TA1	N/A **	230W-20-CSP21A1	N/A **	230W-20-CSP2FA1	N/A **	230W-20-CSP2MA1	N/A **
24	(600)	230W-24-CSP8TA1	N/A **	230W-24-CSP21A1	N/A **	230W-24-CSP2FA1	N/A **	230W-24-CSP2MA1	N/A **

** USE MANUAL GEAR OR ACTUATOR

high performance butterfly valve price list

CLASS 300 LEVER OPERATOR

SIZE		SOFT SEAT (8T)		UHMWPE SEAT (21)		FIRE-SAFE SEAT (2F)		METAL SEAT (2M)	
INCH	(DN)	W/ LEVER	LIST	W/ LEVER	LIST	W/ LEVER	LIST	W/ LEVER	LIST
2	(50)	230L-02-SSP8TA1	2076.22	230L-02-SSP21A1	2180.03	230L-02-SSP2FA1	2269.30	230L-02-SSP2MA1	2501.91
2.5	(65)	230L-25-SSP8TA1	2218.09	230L-25-SSP21A1	2328.99	230L-25-SSP2FA1	2371.37	230L-25-SSP2MA1	2614.44
3	(80)	230L-03-SSP8TA1	2417.10	230L-03-SSP21A1	2537.96	230L-03-SSP2FA1	2585.86	230L-03-SSP2MA1	2585.86
4	(100)	230L-04-SSP8TA1	3033.60	230L-04-SSP21A1	3185.28	230L-04-SSP2FA1	3088.84	230L-04-SSP2MA1	3405.44
5	(125)	230L-05-SSP8TA1	4004.03	230L-05-SSP21A1	4204.23	230L-05-SSP2FA1	4204.26	230L-05-SSP2MA1	4635.19
6	(150)	230L-06-SSP8TA1	4873.30	230L-06-SSP21A1	5116.97	230L-06-SSP2FA1	4963.16	230L-06-SSP2MA1	5471.89
8	(200)	230L-08-SSP8TA1	7151.08	230L-08-SSP21A1	7508.63	230L-08-SSP2FA1	N/A **	230L-08-SSP2MA1	N/A **
10	(250)	230L-10-SSP8TA1	11760.87	230L-10-SSP21A1	12348.91	230L-10-SSP2FA1	N/A **	230L-10-SSP2MA1	N/A **
12	(300)	230L-12-SSP8TA1	N/A **	230L-12-SSP21A1	N/A **	230L-12-SSP2FA1	N/A **	230L-12-SSP2MA1	N/A **
14	(350)	230L-14-SSP8TA1	N/A **	230L-14-SSP21A1	N/A **	230L-14-SSP2FA1	N/A **	230L-14-SSP2MA1	N/A **
16	(400)	230L-16-SSP8TA1	N/A **	230L-16-SSP21A1	N/A **	230L-16-SSP2FA1	N/A **	230L-16-SSP2MA1	N/A **
18	(450)	230L-18-SSP8TA1	N/A **	230L-18-SSP21A1	N/A **	230L-18-SSP2FA1	N/A **	230L-18-SSP2MA1	N/A **
20	(500)	230L-20-SSP8TA1	N/A **	230L-20-SSP21A1	N/A **	230L-20-SSP2FA1	N/A **	230L-20-SSP2MA1	N/A **
24	(600)	230L-24-SSP8TA1	N/A **	230L-24-SSP21A1	N/A **	230L-24-SSP2FA1	N/A **	230L-24-SSP2MA1	N/A **

** USE MANUAL GEAR OR ACTUATOR

SIZE		SOFT SEAT (8T)		UHMWPE SEAT (21)		FIRE-SAFE SEAT (2F)		METAL SEAT (2M)	
INCH	(DN)	W/ LEVER	LIST	W/ LEVER	LIST	W/ LEVER	LIST	W/ LEVER	LIST
					1.050				
2	(50)	230W-02-SSP21A1	1310.93	230W-02-SSP8TA1	1376.48	230W-02-SSP2FA1	1838.80	230W-02-SSP2MA1	2027.28
2.5	(65)	230W-25-SSP21A1	1462.56	230W-25-SSP8TA1	1535.70	230W-25-SSP2FA1	1982.30	230W-25-SSP2MA1	2185.49
3	(80)	230W-03-SSP21A1	1571.24	230W-03-SSP8TA1	1649.80	230W-03-SSP2FA1	2142.07	230W-03-SSP2MA1	2361.63
4	(100)	230W-04-SSP21A1	1800.69	230W-04-SSP8TA1	1890.74	230W-04-SSP2FA1	2335.87	230W-04-SSP2MA1	2575.29
5	(125)	230W-05-SSP21A1	2325.33	230W-05-SSP8TA1	2441.60	230W-05-SSP2FA1	3498.41	230W-05-SSP2MA1	3498.41
6	(150)	230W-06-SSP21A1	2969.39	230W-06-SSP8TA1	3117.86	230W-06-SSP2FA1	3853.66	230W-06-SSP2MA1	4248.66
8	(200)	230W-08-SSP21A1	4603.70	230W-08-SSP8TA1	4932.50	230W-08-SSP2FA1	N/A **	230W-08-SSP2MA1	N/A **
10	(250)	230W-10-SSP21A1	7306.08	230W-10-SSP8TA1	7677.00	230W-10-SSP2FA1	N/A **	230W-10-SSP2MA1	N/A **
12	(300)	230W-12-SSP21A1	N/A **	230W-12-SSP8TA1	N/A **	230W-12-SSP2FA1	N/A **	230W-12-SSP2MA1	N/A **
14	(350)	230W-14-SSP21A1	N/A **	230W-14-SSP8TA1	N/A **	230W-14-SSP2FA1	N/A **	230W-14-SSP2MA1	N/A **
16	(400)	230W-16-SSP21A1	N/A **	230W-16-SSP8TA1	N/A **	230W-16-SSP2FA1	N/A **	230W-16-SSP2MA1	N/A **
18	(450)	230W-18-SSP21A1	N/A **	230W-18-SSP8TA1	N/A **	230W-18-SSP2FA1	N/A **	230W-18-SSP2MA1	N/A **
20	(500)	230W-20-SSP21A1	N/A **	230W-20-SSP8TA1	N/A **	230W-20-SSP2FA1	N/A **	230W-20-SSP2MA1	N/A **
24	(600)	230W-24-SSP21A1	N/A **	230W-24-SSP8TA1	N/A **	230W-24-SSP2FA1	N/A **	230W-24-SSP2MA1	N/A **

** USE MANUAL GEAR OR ACTUATOR



high performance butterfly valve price list

CLASS 300 GEAR OPERATOR

DOUBLE OFFSET, HIGH PERFORMANCE BUTTERFLY VALVE									
ASME CLASS 300									
LUG STYLE									
GEAR OPERATOR									
WCB BODY + CF8M DISC									
SIZE		SOFT SEAT (8T)		UHMWPE SEAT (21)		FIRE-SAFE SEAT (2F)		METAL SEAT (2M)	
INCH	(DN)	W/ GEAR	LIST	W/ GEAR	LIST	W/ GEAR	LIST	W/ GEAR	LIST
2	(50)	230L-02-CSP8TA2	1585.30	230L-02-CSP2IA2	1664.57	230L-02-CSP2FA2	2019.14	230L-02-CSP2MA2	2019.14
2.5	(65)	230L-25-CSP8TA2	1694.57	230L-25-CSP2IA2	1779.30	230L-25-CSP2FA2	2112.11	230L-25-CSP2MA2	2112.11
3	(80)	230L-03-CSP8TA2	1813.62	230L-03-CSP2IA2	1904.30	230L-03-CSP2FA2	2270.30	230L-03-CSP2MA2	2270.30
4	(100)	230L-04-CSP8TA2	2058.28	230L-04-CSP2IA2	2161.19	230L-04-CSP2FA2	2452.97	230L-04-CSP2MA2	2452.97
5	(125)	230L-05-CSP8TA2	2743.29	230L-05-CSP2IA2	2880.45	230L-05-CSP2FA2	3423.39	230L-05-CSP2MA2	3423.39
6	(150)	230L-06-CSP8TA2	3473.96	230L-06-CSP2IA2	3647.66	230L-06-CSP2FA2	3744.18	230L-06-CSP2MA2	4127.96
8	(200)	230L-08-CSP8TA2	5044.56	230L-08-CSP2IA2	5296.79	230L-08-CSP2FA2	5496.07	230L-08-CSP2MA2	6362.38
10	(250)	230L-10-CSP8TA2	7081.63	230L-10-CSP2IA2	7435.71	230L-10-CSP2FA2	7819.74	230L-10-CSP2MA2	7819.74
12	(300)	230L-12-CSP8TA2	9694.43	230L-12-CSP2IA2	10179.15	230L-12-CSP2FA2	10303.52	230L-12-CSP2MA2	11359.64
14	(350)	230L-14-CSP8TA2	15751.83	230L-14-CSP2IA2	16539.42	230L-14-CSP2FA2	17394.18	230L-14-CSP2MA2	17537.72
16	(400)	230L-16-CSP8TA2	19383.97	230L-16-CSP2IA2	20353.17	230L-16-CSP2FA2	21509.12	230L-16-CSP2MA2	22045.71
18	(450)	230L-18-CSP8TA2	26172.03	230L-18-CSP2IA2	27480.63	230L-18-CSP2FA2	28974.02	230L-18-CSP2MA2	29582.36
20	(500)	230L-20-CSP8TA2	33371.07	230L-20-CSP2IA2	35039.62	230L-20-CSP2FA2	32753.82	230L-20-CSP2MA2	36664.01
24	(600)	230L-24-CSP8TA2	44546.42	230L-24-CSP2IA2	46773.74	230L-24-CSP2FA2	45208.31	230L-24-CSP2MA2	51163.26

DOUBLE OFFSET, HIGH PERFORMANCE BUTTERFLY VALVE									
ASME CLASS 300									
WAFFER STYLE									
GEAR OPERATOR									
WCB BODY + CF8M DISC									
SIZE		SOFT SEAT (8T)		UHMWPE SEAT (21)		FIRE-SAFE SEAT (2F)		METAL SEAT (2M)	
INCH	(DN)	W/ GEAR	LIST	W/ GEAR	LIST	W/ GEAR	LIST	W/ GEAR	LIST
2	(50)	230W-02-CSP8TA2	1283.57	230W-02-CSP2IA2	1347.75	230W-02-CSP2FA2	1743.50	230W-02-CSP2MA2	1743.50
2.5	(65)	230W-25-CSP8TA2	1379.81	230W-25-CSP2IA2	1448.80	230W-25-CSP2FA2	1813.62	230W-25-CSP2MA2	1813.62
3	(80)	230W-03-CSP8TA2	1449.91	230W-03-CSP2IA2	1522.41	230W-03-CSP2FA2	1914.75	230W-03-CSP2MA2	1914.75
4	(100)	230W-04-CSP8TA2	1670.11	230W-04-CSP2IA2	1753.62	230W-04-CSP2FA2	2081.11	230W-04-CSP2MA2	2081.11
5	(125)	230W-05-CSP8TA2	2192.02	230W-05-CSP2IA2	2301.62	230W-05-CSP2FA2	2888.45	230W-05-CSP2MA2	2888.45
6	(150)	230W-06-CSP8TA2	2707.41	230W-06-CSP2IA2	2842.78	230W-06-CSP2FA2	3385.86	230W-06-CSP2MA2	3385.86
8	(200)	230W-08-CSP8TA2	4224.18	230W-08-CSP2IA2	4435.39	230W-08-CSP2FA2	5048.95	230W-08-CSP2MA2	5566.47
10	(250)	230W-10-CSP8TA2	5620.29	230W-10-CSP2IA2	5901.30	230W-10-CSP2FA2	6529.76	230W-10-CSP2MA2	7199.06
12	(300)	230W-12-CSP8TA2	7734.02	230W-12-CSP2IA2	8120.72	230W-12-CSP2FA2	8569.75	230W-12-CSP2MA2	9448.15
14	(350)	230W-14-CSP8TA2	12807.94	230W-14-CSP2IA2	13448.34	230W-14-CSP2FA2	14536.74	230W-14-CSP2MA2	14680.28
16	(400)	230W-16-CSP8TA2	16510.21	230W-16-CSP2IA2	17335.72	230W-16-CSP2FA2	18666.34	230W-16-CSP2MA2	19202.94
18	(450)	230W-18-CSP8TA2	21655.91	230W-18-CSP2IA2	22738.71	230W-18-CSP2FA2	28197.69	230W-18-CSP2MA2	25198.35
20	(500)	230W-20-CSP8TA2	28918.56	230W-20-CSP2IA2	30364.49	230W-20-CSP2FA2	31792.31	230W-20-CSP2MA2	32337.06
24	(600)	230W-24-CSP8TA2	38846.21	230W-24-CSP2IA2	40788.52	230W-24-CSP2FA2	42429.44	230W-24-CSP2MA2	43740.73

high performance butterfly valve price list

CLASS 300 GEAR OPERATOR

DOUBLE OFFSET, HIGH PERFORMANCE BUTTERFLY VALVE									
ASME CLASS 300									
LUG STYLE									
GEAR OPERATOR									
CF8M BODY + CF8M DISC									
SIZE		SOFT SEAT (8T)		UHMWPE SEAT (21)		FIRE-SAFE SEAT (2F)		METAL SEAT (2M)	
INCH	(DN)	W/ GEAR	LIST	W/ GEAR	LIST	W/ GEAR	LIST	W/ GEAR	LIST
2	(50)	230L-02-SSP8TA2	2270.30	230L-02-SSP21A2	2383.82	230L-02-SSP2FA2	2695.97	230L-02-SSP2MA2	2695.97
2.5	(65)	230L-25-SSP8TA2	2413.81	230L-25-SSP21A2	2534.50	230L-25-SSP2FA2	2808.53	230L-25-SSP2MA2	2808.53
3	(80)	230L-03-SSP8TA2	2611.16	230L-03-SSP21A2	2741.72	230L-03-SSP2FA2	2761.92	230L-03-SSP2MA2	3045.02
4	(100)	230L-04-SSP8TA2	3217.89	230L-04-SSP21A2	3378.78	230L-04-SSP2FA2	3256.00	230L-04-SSP2MA2	3589.74
5	(125)	230L-05-SSP8TA2	4189.93	230L-05-SSP21A2	4399.43	230L-05-SSP2FA2	4821.11	230L-05-SSP2MA2	4821.11
6	(150)	230L-06-SSP8TA2	5171.79	230L-06-SSP21A2	5430.38	230L-06-SSP2FA2	5495.56	230L-06-SSP2MA2	5770.34
8	(200)	230L-08-SSP8TA2	8185.79	230L-08-SSP21A2	8595.08	230L-08-SSP2FA2	8526.86	230L-08-SSP2MA2	9400.86
10	(250)	230L-10-SSP8TA2	12062.61	230L-10-SSP21A2	12665.74	230L-10-SSP2FA2	12216.30	230L-10-SSP2MA2	13468.48
12	(300)	230L-12-SSP8TA2	16823.36	230L-12-SSP21A2	17664.53	230L-12-SSP2FA2	18283.07	230L-12-SSP2MA2	18283.07
14	(350)	230L-14-SSP8TA2	27604.00	230L-14-SSP21A2	28984.20	230L-14-SSP2FA2	26210.78	230L-14-SSP2MA2	29047.41
16	(400)	230L-16-SSP8TA2	33351.53	230L-16-SSP21A2	35019.11	230L-16-SSP2FA2	31767.13	230L-16-SSP2MA2	35561.48
18	(450)	230L-18-SSP8TA2	44818.81	230L-18-SSP21A2	47059.75	230L-18-SSP2FA2	47094.00	230L-18-SSP2MA2	47699.07
20	(500)	230L-20-SSP8TA2	52424.48	230L-20-SSP21A2	55045.70	230L-20-SSP2FA2	59844.82	230L-20-SSP2MA2	60396.11
24	(600)	230L-24-SSP8TA2	81319.71	230L-24-SSP21A2	85385.70	230L-24-SSP2FA2	83681.33	230L-24-SSP2MA2	85000.78

DOUBLE OFFSET, HIGH PERFORMANCE BUTTERFLY VALVE									
ASME CLASS 300									
WAFFER STYLE									
GEAR OPERATOR									
CF8M BODY + CF8M DISC									
SIZE		SOFT SEAT (8T)		UHMWPE SEAT (21)		FIRE-SAFE SEAT (2F)		METAL SEAT (2M)	
INCH	(DN)	W/ GEAR	LIST	W/ GEAR	LIST	W/ GEAR	LIST	W/ GEAR	LIST
2	(50)	230W-02-SSP8TA2	1787.54	230W-02-SSP21A2	1876.92	230W-02-SSP2FA2	2221.38	230W-02-SSP2MA2	2221.38
2.5	(65)	230W-25-SSP8TA2	1971.84	230W-25-SSP21A2	2070.43	230W-25-SSP2FA2	2379.57	230W-25-SSP2MA2	2379.57
3	(80)	230W-03-SSP8TA2	2103.95	230W-03-SSP21A2	2209.15	230W-03-SSP2FA2	2555.73	230W-03-SSP2MA2	2555.73
4	(100)	230W-04-SSP8TA2	2374.68	230W-04-SSP21A2	2493.41	230W-04-SSP2FA2	2761.20	230W-04-SSP2MA2	2761.20
5	(125)	230W-05-SSP8TA2	3010.76	230W-05-SSP21A2	3161.30	230W-05-SSP2FA2	3684.33	230W-05-SSP2MA2	3684.33
6	(150)	230W-06-SSP8TA2	3907.80	230W-06-SSP21A2	4103.19	230W-06-SSP2FA2	4124.38	230W-06-SSP2MA2	4547.13
8	(200)	230W-08-SSP8TA2	5897.57	230W-08-SSP21A2	6192.45	230W-08-SSP2FA2	6516.44	230W-08-SSP2MA2	7184.37
10	(250)	230W-10-SSP8TA2	9182.32	230W-10-SSP21A2	9641.44	230W-10-SSP2FA2	9673.34	230W-10-SSP2MA2	10664.86
12	(300)	230W-12-SSP8TA2	11491.42	230W-12-SSP21A2	12065.99	230W-12-SSP2FA2	12923.43	230W-12-SSP2MA2	14248.08
14	(350)	230W-14-SSP8TA2	18499.99	230W-14-SSP21A2	19424.99	230W-14-SSP2FA2	20054.30	230W-14-SSP2MA2	20205.97
16	(400)	230W-16-SSP8TA2	21521.28	230W-16-SSP21A2	22597.34	230W-16-SSP2FA2	25676.21	230W-16-SSP2MA2	26222.58
18	(450)	230W-18-SSP8TA2	32116.88	230W-18-SSP21A2	33722.72	230W-18-SSP2FA2	34752.52	230W-18-SSP2MA2	35360.85
20	(500)	230W-20-SSP8TA2	39492.18	230W-20-SSP21A2	41466.79	230W-20-SSP2FA2	46002.88	230W-20-SSP2MA2	46547.60
24	(600)	230W-24-SSP8TA2	59499.08	230W-24-SSP21A2	62474.03	230W-24-SSP2FA2	62491.88	230W-24-SSP2MA2	63803.19



high performance butterfly valve price list

CLASS 600 BARE STEM

CURRENT PRICE							
ASME CLASS 600							
LUG STYLE							
BARE STEM							
WCB BODY + CF8M DISC							
SIZE		SOFT SEAT (8T)		FIRE-SAFE SEAT (2F)		METAL SEAT (2M)	
INCH	(DN)	BARE STEM	LIST	BARE STEM	LIST	BARE STEM	LIST
3	(80)	260L-03-CSP8TAO	3,168.97	260L-03-CSP2FAO	3,666.41	260L-03-CSP2MAO	3,925.73
4	(100)	260L-04-CSP8TAO	4,359.55	260L-04-CSP2FAO	4,889.63	260L-04-CSP2MAO	5,165.25
6	(150)	260L-06-CSP8TAO	5,759.02	260L-06-CSP2FAO	7,124.04	260L-06-CSP2MAO	7,500.79
8	(200)	260L-08-CSP8TAO	8,955.61	260L-08-CSP2FAO	10,219.59	260L-08-CSP2MAO	10,509.91
10	(250)	260L-10-CSP8TAO	13,714.75	260L-10-CSP2FAO	15,034.20	260L-10-CSP2MAO	15,357.12
12	(300)	260L-12-CSP8TAO	20,054.30	260L-12-CSP2FAO	21,830.40	260L-12-CSP2MAO	22,123.99

DOUBLE OFFSET, HIGH PERFORMANCE BUTTERFLY VALVE							
ASME CLASS 600							
WAFER STYLE							
BARE STEM							
WCB BODY + CF8M DISC							
SIZE		SOFT SEAT (8T)		FIRE-SAFE SEAT (2F)		METAL SEAT (2M)	
INCH	(DN)	BARE STEM	LIST	BARE STEM	LIST	BARE STEM	LIST
3	(80)	260W-03-CSP8TAO	2,583.44	260W-03-CSP2FAO	3,089.05	260W-03-CSP2MAO	3,349.99
4	(100)	260W-04-CSP8TAO	3,366.31	260W-04-CSP2FAO	3,919.20	260W-04-CSP2MAO	4,178.53
6	(150)	260W-06-CSP8TAO	4,762.40	260W-06-CSP2FAO	5,559.94	260W-06-CSP2MAO	5,931.82
8	(200)	260W-08-CSP8TAO	7,124.04	260W-08-CSP2FAO	8,458.17	260W-08-CSP2MAO	8,750.10
10	(250)	260W-10-CSP8TAO	10,400.63	260W-10-CSP2FAO	11,821.20	260W-10-CSP2MAO	12,121.29
12	(300)	260W-12-CSP8TAO	15,198.92	260W-12-CSP2FAO	17,118.55	260W-12-CSP2MAO	17,402.35

high performance butterfly valve price list

CLASS 600 BARE STEM

DOUBLE OFFSET, HIGH PERFORMANCE BUTTERFLY VALVE							
ASME CLASS 600							
LUG STYLE							
BARE STEM							
CF8M BODY + CF8M DISC							
SIZE		SOFT SEAT (8T)		FIRE-SAFE SEAT (2F)		METAL SEAT (2M)	
INCH	(DN)	BARE STEM	LIST	BARE STEM	LIST	BARE STEM	LIST
3	(80)	260L-03-SSP8TA0	4,762.40	260L-03-SSP2FA0	5,206.03	260L-03-SSP2MA0	5,457.20
4	(100)	260L-04-SSP8TA0	5,709.99	260L-04-SSP2FA0	6,183.00	260L-04-SSP2MA0	6,474.92
6	(150)	260L-06-SSP8TA0	9,206.77	260L-06-SSP2FA0	9,886.87	260L-06-SSP2MA0	10,242.42
8	(200)	260L-08-SSP8TA0	11,829.35	260L-08-SSP2FA0	13,036.28	260L-08-SSP2MA0	13,320.06
10	(250)	260L-10-SSP8TA0	18,681.03	260L-10-SSP2FA0	19,905.87	260L-10-SSP2MA0	20,205.97
12	(300)	260L-12-SSP8TA0	29,151.80	260L-12-SSP2FA0	30,737.08	260L-12-SSP2MA0	31,014.35

DOUBLE OFFSET, HIGH PERFORMANCE BUTTERFLY VALVE							
ASME CLASS 600							
WAFFER STYLE							
BARE STEM							
CF8M BODY + CF8M DISC							
SIZE		SOFT SEAT (8T)		FIRE-SAFE SEAT (2F)		METAL SEAT (2M)	
INCH	(DN)	BARE STEM	LIST	BARE STEM	LIST	BARE STEM	LIST
3	(80)	260W-03-SSP8TA0	3,641.93	260W-03-SSP2FA0	4,106.77	260W-03-SSP2MA0	4,367.73
4	(100)	260W-04-SSP8TA0	4,406.87	260W-04-SSP2FA0	4,920.60	260W-04-SSP2MA0	5,196.25
6	(150)	260W-06-SSP8TA0	7,179.51	260W-06-SSP2FA0	7,928.09	260W-06-SSP2MA0	8,290.18
8	(200)	260W-08-SSP8TA0	9,965.19	260W-08-SSP2FA0	11,211.24	260W-08-SSP2MA0	11,522.73
10	(250)	260W-10-SSP8TA0	15,081.51	260W-10-SSP2FA0	16,415.62	260W-10-SSP2MA0	16,723.89
12	(300)	260W-12-SSP8TA0	22,259.34	260W-12-SSP2FA0	24,050.16	260W-12-SSP2MA0	24,319.28

high performance butterfly valve price list

CLASS 600 LEVER OPERATOR

DOUBLE OFFSET, HIGH PERFORMANCE BUTTERFLY VALVE							
ASME CLASS 600							
LUG STYLE							
LEVER OPERATOR							
WCB BODY + CF8M DISC							
SIZE		SOFT SEAT (8T)		FIRE-SAFE SEAT (2F)		METAL SEAT (2M)	
INCH	(DN)	W/ LEVER	LIST	W/ LEVER	LIST	W/ LEVER	LIST
3	(80)	260L-03-CSP8TA1	N/A **	260L-03-CSP2FA1	N/A **	260L-03-CSP2MA1	N/A **
4	(100)	260L-04-CSP8TA1	N/A **	260L-04-CSP2FA1	N/A **	260L-04-CSP2MA1	N/A **
6	(150)	260L-06-CSP8TA1	N/A **	260L-06-CSP2FA1	N/A **	260L-06-CSP2MA1	N/A **
8	(200)	260L-08-CSP8TA1	N/A **	260L-08-CSP2FA1	N/A **	260L-08-CSP2MA1	N/A **
10	(250)	260L-10-CSP8TA1	N/A **	260L-10-CSP2FA1	N/A **	260L-10-CSP2MA1	N/A **
12	(300)	260L-12-CSP8TA1	N/A **	260L-12-CSP2FA1	N/A **	260L-12-CSP2MA1	N/A **

** USE MANUAL GEAR OR ACTUATOR

DOUBLE OFFSET, HIGH PERFORMANCE BUTTERFLY VALVE							
ASME CLASS 600							
WAFFER STYLE							
LEVER OPERATOR							
WCB BODY + CF8M DISC							
SIZE		SOFT SEAT (8T)		FIRE-SAFE SEAT (2F)		METAL SEAT (2M)	
INCH	(DN)	W/ LEVER	LIST	W/ LEVER	LIST	W/ LEVER	LIST
3	(80)	260W-03-CSP8TA1	N/A **	260W-03-CSP2FA1	N/A **	260W-03-CSP2MA1	N/A **
4	(100)	260W-04-CSP8TA1	N/A **	260W-04-CSP2FA1	N/A **	260W-04-CSP2MA1	N/A **
6	(150)	260W-06-CSP8TA1	N/A **	260W-06-CSP2FA1	N/A **	260W-06-CSP2MA1	N/A **
8	(200)	260W-08-CSP8TA1	N/A **	260W-08-CSP2FA1	N/A **	260W-08-CSP2MA1	N/A **
10	(250)	260W-10-CSP8TA1	N/A **	260W-10-CSP2FA1	N/A **	260W-10-CSP2MA1	N/A **
12	(300)	260W-12-CSP8TA1	N/A **	260W-12-CSP2FA1	N/A **	260W-12-CSP2MA1	N/A **

** USE MANUAL GEAR OR ACTUATOR

high performance butterfly valve price list

CLASS 600 LEVER OPERATOR

DOUBLE OFFSET, HIGH PERFORMANCE BUTTERFLY VALVE							
ASME CLASS 600							
LUG STYLE							
LEVER OPERATOR							
CF8M BODY + CF8M DISC							
SIZE		SOFT SEAT (8T)		FIRE-SAFE SEAT (2F)		METAL SEAT (2M)	
INCH	(DN)	W/ LEVER	LIST	W/ LEVER	LIST	W/ LEVER	LIST
3	(80)	260L-03-SSP8TA1	N/A **	260L-03-SSP2FA1	N/A **	260L-03-SSP2MA1	N/A **
4	(100)	260L-04-SSP8TA1	N/A **	260L-04-SSP2FA1	N/A **	260L-04-SSP2MA1	N/A **
6	(150)	260L-06-SSP8TA1	N/A **	260L-06-SSP2FA1	N/A **	260L-06-SSP2MA1	N/A **
8	(200)	260L-08-SSP8TA1	N/A **	260L-08-SSP2FA1	N/A **	260L-08-SSP2MA1	N/A **
10	(250)	260L-10-SSP8TA1	N/A **	260L-10-SSP2FA1	N/A **	260L-10-SSP2MA1	N/A **
12	(300)	260L-12-SSP8TA1	N/A **	260L-12-SSP2FA1	N/A **	260L-12-SSP2MA1	N/A **

** USE MANUAL GEAR OR ACTUATOR

DOUBLE OFFSET, HIGH PERFORMANCE BUTTERFLY VALVE							
ASME CLASS 600							
WAFFER STYLE							
LEVER OPERATOR							
CF8M BODY + CF8M DISC							
SIZE		SOFT SEAT (8T)		FIRE-SAFE SEAT (2F)		METAL SEAT (2M)	
INCH	(DN)	W/ LEVER	LIST	W/ LEVER	LIST	W/ LEVER	LIST
3	(80)	260W-03-SSP8TA1	N/A **	260W-03-SSP2FA1	N/A **	260W-03-SSP2MA1	N/A **
4	(100)	260W-04-SSP8TA1	N/A **	260W-04-SSP2FA1	N/A **	260W-04-SSP2MA1	N/A **
6	(150)	260W-06-SSP8TA1	N/A **	260W-06-SSP2FA1	N/A **	260W-06-SSP2MA1	N/A **
8	(200)	260W-08-SSP8TA1	N/A **	260W-08-SSP2FA1	N/A **	260W-08-SSP2MA1	N/A **
10	(250)	260W-10-SSP8TA1	N/A **	260W-10-SSP2FA1	N/A **	260W-10-SSP2MA1	N/A **
12	(300)	260W-12-SSP8TA1	N/A **	260W-12-SSP2FA1	N/A **	260W-12-SSP2MA1	N/A **

** USE MANUAL GEAR OR ACTUATOR



high performance butterfly valve price list

CLASS 600 GEAR OPERATOR

CURRENT PRICE							
ASME CLASS 600							
LUG STYLE							
GEAR OPERATOR							
WCB BODY + CF8M DISC							
SIZE		SOFT SEAT (8T)		FIRE-SAFE SEAT (2F)		METAL SEAT (2M)	
INCH	(DN)	W/ GEAR	LIST	W/ GEAR	LIST	W/ GEAR	LIST
3	(80)	260L-03-CSP8TA2	3,415.25	260L-03-CSP2FA2	3,914.32	260L-03-CSP2MA2	4,173.63
4	(100)	260L-04-CSP8TA2	4,720.02	260L-04-CSP2FA2	5,000.06	260L-04-CSP2MA2	5,525.71
6	(150)	260L-06-CSP8TA2	6,819.05	260L-06-CSP2FA2	7,232.15	260L-06-CSP2MA2	7,970.51
8	(200)	260L-08-CSP8TA2	9,942.35	260L-08-CSP2FA2	11,206.32	260L-08-CSP2MA2	11,496.63
10	(250)	260L-10-CSP8TA2	14,701.49	260L-10-CSP2FA2	16,020.92	260L-10-CSP2MA2	16,343.87
12	(300)	260L-12-CSP8TA2	22,159.87	260L-12-CSP2FA2	23,935.99	260L-12-CSP2MA2	24,229.56

DOUBLE OFFSET, HIGH PERFORMANCE BUTTERFLY VALVE							
ASME CLASS 600							
WAFER STYLE							
GEAR OPERATOR							
WCB BODY + CF8M DISC							
SIZE		SOFT SEAT (8T)		FIRE-SAFE SEAT (2F)		METAL SEAT (2M)	
INCH	(DN)	W/ GEAR	LIST	W/ GEAR	LIST	W/ GEAR	LIST
3	(80)	260W-03-CSP8TA2	2,831.37	260W-03-CSP2FA2	2,831.37	260W-03-CSP2MA2	3,597.91
4	(100)	260W-04-CSP8TA2	3,725.11	260W-04-CSP2FA2	3,725.11	260W-04-CSP2MA2	4,538.96
6	(150)	260W-06-CSP8TA2	5,232.12	260W-06-CSP2FA2	5,232.12	260W-06-CSP2MA2	6,401.51
8	(200)	260W-08-CSP8TA2	8,110.77	260W-08-CSP2FA2	8,110.77	260W-08-CSP2MA2	9,736.85
10	(250)	260W-10-CSP8TA2	11,387.37	260W-10-CSP2FA2	11,387.37	260W-10-CSP2MA2	13,108.03
12	(300)	260W-12-CSP8TA2	17,304.48	260W-12-CSP2FA2	17,304.48	260W-12-CSP2MA2	19,507.91



high performance butterfly valve price list

CLASS 600 GEAR OPERATOR

DOUBLE OFFSET, HIGH PERFORMANCE BUTTERFLY VALVE							
ASME CLASS 600							
LUG STYLE							
GEAR OPERATOR							
CF8M BODY + CF8M DISC							
SIZE		SOFT SEAT (8T)		FIRE-SAFE SEAT (2F)		METAL SEAT (2M)	
INCH	(DN)	W/ GEAR	LIST	W/ GEAR	LIST	W/ GEAR	LIST
3	(80)	260L-03-SSP8TA2	5,010.33	260L-03-SSP2FA2	5,453.93	260L-03-SSP2MA2	5,705.11
4	(100)	260L-04-SSP8TA2	6,070.43	260L-04-SSP2FA2	6,543.40	260L-04-SSP2MA2	6,835.35
6	(150)	260L-06-SSP8TA2	9,676.49	260L-06-SSP2FA2	10,356.61	260L-06-SSP2MA2	10,712.16
8	(200)	260L-08-SSP8TA2	12,816.09	260L-08-SSP2FA2	14,023.00	260L-08-SSP2MA2	14,306.78
10	(250)	260L-10-SSP8TA2	19,667.76	260L-10-SSP2FA2	20,892.62	260L-10-SSP2MA2	21,192.70
12	(300)	260L-12-SSP8TA2	31,255.73	260L-12-SSP2FA2	32,842.66	260L-12-SSP2MA2	33,118.30

DOUBLE OFFSET, HIGH PERFORMANCE BUTTERFLY VALVE							
ASME CLASS 600							
WAFFER STYLE							
GEAR OPERATOR							
CF8M BODY + CF8M DISC							
SIZE		SOFT SEAT (8T)		FIRE-SAFE SEAT (2F)		METAL SEAT (2M)	
INCH	(DN)	W/ GEAR	LIST	W/ GEAR	LIST	W/ GEAR	LIST
3	(80)	260W-03-SSP8TA2	3,888.21	260W-03-SSP2FA2	4,354.68	260W-03-SSP2MA2	4,615.62
4	(100)	260W-04-SSP8TA2	4,767.28	260W-04-SSP2FA2	5,281.06	260W-04-SSP2MA2	5,556.68
6	(150)	260W-06-SSP8TA2	7,649.20	260W-06-SSP2FA2	8,397.82	260W-06-SSP2MA2	8,759.90
8	(200)	260W-08-SSP8TA2	10,951.91	260W-08-SSP2FA2	12,199.58	260W-08-SSP2MA2	12,509.47
10	(250)	260W-10-SSP8TA2	16,068.23	260W-10-SSP2FA2	17,402.35	260W-10-SSP2MA2	17,710.60
12	(300)	260W-12-SSP8TA2	24,363.30	260W-12-SSP2FA2	26,155.71	260W-12-SSP2MA2	26,423.20



high performance butterfly valve price list

HIGH PERFORMANCE BUTTERFLY VALVES ADDERS

ASME 150*

SIZE	ASME CLASS	APOLLO TYPE & CLASS	SEAT	CHAIN WHEEL (5)	LOCKING GEAR (7)	LOCKING WHEEL W/ CHAIN WHEEL (8)
2" - 8"	150	215	RTFM (8T), UHMWPE (21)	783.72	65.34	851.96
			Fire-Safe (2F), Metal seat (2M)			
10"	150	215	RTFM (8T), UHMWPE (21)	783.72	65.34	851.96
			Fire-Safe (2F), Metal seat (2M)	783.72	65.34	851.96
12"	150	215	RTFM (8T), UHMWPE (21)	783.72	65.34	851.96
			Fire-Safe (2F), Metal seat (2M)	1388.05	121.36	1509.42
14" - 20"	150	215	RTFM (8T), UHMWPE (21)	1388.05	112.15	1394.87
			Fire-Safe (2F), Metal seat (2M)	1388.05		
24"	150	215	RTFM (8T), UHMWPE (21)	1388.05	121.36	1509.42
			Fire-Safe (2F), Metal seat (2M)	2105.21	149.37	2254.56
30" - 36"	150	215	RTFM (8T), UHMWPE (21)	2105.21	149.37	2254.56

* Add List Adder to the List Price of the valve with gear (suffix "2").

Example: The List Price of 215L08CSP8TA7 = List price of 215L08CSP8TA2 PLUS the "7" LIST adder shown in the table above.

ASME 300*

SIZE	ASME CLASS	APOLLO TYPE & CLASS	SEAT	CHAIN WHEEL (5)	LOCKING GEAR (7)	LOCKING WHEEL W/ CHAIN WHEEL (8)
2" - 6"	300	230	RTFM (8T), UHMWPE (21)	783.72	65.34	851.97
			Fire-Safe (2F), Metal seat (2M)			
8"	300	230	RTFM (8T), UHMWPE (21)	783.72	65.34	870.65
			Fire-Safe (2F), Metal seat (2M)			
10"	300	230	RTFM (8T), UHMWPE (21)	746.40	80.01	829.20
			Fire-Safe (2F), Metal seat (2M)	1388.05	121.36	1509.42
12" - 16"	300	230	RTFM (8T), UHMWPE (21)	1388.05	121.35	1509.43
			Fire-Safe (2F), Metal seat (2M)			
18"	300	230	RTFM (8T), UHMWPE (21)	1388.05	121.36	1509.42
			Fire-Safe (2F), Metal seat (2M)	2105.21	149.37	2254.56
20"-24"	300	230	RTFM (8T), UHMWPE (21)	1824.90	129.48	1954.37
			Fire-Safe (2F), Metal seat (2M)			

* Add List Adder to the List Price of the valve with gear (suffix "2").

Example: The List Price of 230L08CSP8TA7 = List price of 230L08CSP8TA2 PLUS the "7" LIST adder shown in the table above.

ASME 600*

SIZE	ASME CLASS	APOLLO TYPE & CLASS	SEAT	CHAIN WHEEL (5)	LOCKING GEAR (7)	LOCKING WHEEL W/ CHAIN WHEEL (8)
3"	600	260	RTFM (8T)	783.72	68.60	894.56
			Fire-Safe (2F), Metal seat (2M)			
4"	600	260	RTFM (8T)	783.72	65.34	851.96
			Fire-Safe (2F), Metal seat (2M)	783.72	84.01	870.66
6"	600	260	RTFM (8T)	783.72	84.01	870.66
			Fire-Safe (2F), Metal seat (2M)	1388.05	121.36	1509.42
8"-10"	600	260	RTFM (8T)	1388.05	121.36	1509.42
			Fire-Safe (2F), Metal seat (2M)			
12"	600	260	RTFM (8T)	1388.05	121.36	1509.42
			Fire-Safe (2F), Metal seat (2M)	2105.21	149.37	2254.56

* Add List Adder to the List Price of the valve with gear (suffix "2").

Example: The List Price of 260L08CSP8TA7 = List price of 260L08CSP8TA2 PLUS the "7" LIST adder shown in the table



high performance butterfly valve price list

SOFT SEAT REPAIR KITS

RTFM SEAT

SIZE (IN.)	ASME CLASS	APOLLO TYPE & CLASS	STYLE	SOFT SEAT REPAIR KIT	LIST	
2"	150 & 300	215 / 230	Lug & Wafer	215028TRK	54.71	
2.5"	150 & 300	215 / 230		215258TRK	61.17	
3"	150 & 300	215 / 230		215038TRK	75.64	
	600	260		260038TRK	115.22	
4"	150 & 300	215 / 230		215048TRK	95.38	
	600	260		260048TRK	161.76	
5"	150 & 300	215 / 230		215058TRK	177.79	
6"	150	215		215068TRK	210.19	
	300	230		230068TRK	200.18	
	600	260		260068TRK	272.83	
8"	150	215		215088TRK	281.57	
	300	230		230088TRK	309.78	
	600	260		260088TRK	503.78	
10"	150	215		215108TRK	416.88	
	300	230		230108TRK	468.90	
	600	260		260108TRK	674.29	
12"	150	215		215128TRK	487.04	
	300	230		230128TRK	562.34	
	600	260	260128TRK	1029.74		
14"	150	215	Lug & Wafer	215148TRK	716.28	
	300	230		230148TRK	820.57	
16"	150	215		215168TRK	930.79	
	300	230		230168TRK	1191.18	
18"	150	215		215188TRK	1180.62	
	300	230		230188TRK	1319.99	
20"	150	215		215208TRK	1492.86	
	300	230		230208TRK	1701.37	
24"	150	215		215248TRK	2390.06	
	300	230		230248TRK	2612.69	
30"	150	215		Lug	215308TRK	4294.03
36"	150	215		Lug	215368TRK	6689.01

UHMWPE SEAT

SIZE (IN.)	ASME CLASS	APOLLO TYPE & CLASS	STYLE	SOFT SEAT REPAIR KIT	LIST	
2"	150 & 300	215 / 230	Lug & Wafer	215022IRK	124.19	
2.5"	150 & 300	215 / 230		215252IRK	120.90	
3"	150 & 300	215 / 230		215032IRK	127.13	
	600	260		N/A	0.00	
4"	150 & 300	215 / 230		215042IRK	242.56	
	600	260		N/A	0.00	
5"	150 & 300	215 / 230		215052IRK	253.05	
6"	150	215		215062IRK	281.52	
	300	230		230062IRK	286.68	
	600	260		N/A	0.00	
8"	150	215		215082IRK	409.55	
	300	230		230082IRK	415.54	
	600	260		N/A	0.00	
10"	150	215		215102IRK	464.55	
	300	230		230102IRK	483.52	
	600	260		N/A	0.00	
12"	150	215		215122IRK	551.59	
	300	230		230122IRK	601.12	
	600	260	N/A	0.00		
14"	150	215	Lug & Wafer	215142IRK	743.65	
	300	230		230142IRK	864.71	
16"	150	215		215162IRK	931.85	
	300	230		230162IRK	1005.54	
18"	150	215		215182IRK	1098.49	
	300	230		230182IRK	1195.59	
20"	150	215		215202IRK	1431.29	
	300	230		230202IRK	1577.66	
24"	150	215		215242IRK	2182.06	
	300	230		230242IRK	2318.55	
30"	150	215		Lug	215302IRK	3434.89
36"	150	215		Lug	215362IRK	4691.16

SOFT SEAT HPBFV REPAIR KITS INCLUDE:

- Seat (Glass filled TFM 1700)
- Stem packing (PTFE)
- End cap seal (PTFE)
- Spacer (PTFE)



high performance butterfly valve price list

FIRE SAFE REPAIR KITS & METAL SEAT RINGS

SIZE		APOLLO CLASS & TYPE	ASME CLASS	STYLE	FIRE SAFE REPAIR KIT	LIST	FIRE SAFE METAL SEAT	LIST
INCH	DN							
2"	50	215L	150	Lug	215L022FRK	\$66.80	CX04699	\$113.76
		230L	300	Lug	230L022FRK			
2.5"	65	215W/ 230W	150 & 300	Wafer	215W022FRK	\$74.07	CX04700	\$114.93
		215L	150	Lug	215L252FRK			
		230L	300	Lug	230L252FRK			
		215W/ 230W	150 & 300	Wafer	215W252FRK			
3"	80	215L	150	Lug	215L032FRK	\$93.32	CX04701	\$127.60
		230L	300	Lug	230L032FRK	\$132.10		
		260L	600	Lug	260L032FRK	\$88.88		
		215W/ 230W	150 & 300	Wafer	215W032FRK	\$132.10		
		260W	600	Wafer	260W032FRK	\$119.01		
		215L	150	Lug	215L042FRK	\$185.78		
4"	100	230L	300	Lug	230L042FRK	\$113.34	CX04702	\$154.52
		260L	600	Lug	260L042FRK	\$185.78		
		215W/ 230W	150 & 300	Wafer	215W042FRK	\$199.44		
		260W	600	Wafer	260W042FRK	\$199.44		
5"	125	215L	150	Lug	215L052FRK	\$229.34	CX04703	\$303.22
		230L	300	Lug	230L052FRK	\$232.31		
		215W/ 230W	150 & 300	Wafer	215W052FRK	\$331.23		
6"	150	215L	150	Lug	215L062FRK	\$327.76	CX04704	\$344.89
		215W	150	Wafer	215W062FRK	\$359.74		
		230L	300	Lug	230L062FRK	\$597.92		
		230W	300	Wafer	230W062FRK	\$477.87		
		260L	600	Lug	260L062FRK	\$513.34		
		260W	600	Wafer	260W062FRK	\$820.31		
8"	200	215L	150	Lug	215L082FRK	\$562.34	CX04705	\$480.12
		215W	150	Wafer	215W082FRK	\$643.84		
		230L	300	Lug	230L082FRK	\$1,199.96		
		230W	300	Wafer	230W082FRK	\$1,034.57		
		260L	600	Lug	260L082FRK	\$979.35		
		260W	600	Wafer	260W082FRK	\$1,133.39		
10"	250	215L	150	Lug	215L102FRK	\$1,115.63	CX04706	\$1,243.27
		215W	150	Wafer	215W102FRK	\$1,273.57		
		230L	300	Lug	230L102FRK	\$1,548.04		
		230W	300	Wafer	230W102FRK	\$1,267.63		
		260L	600	Lug	260L102FRK	\$1,522.38		
		260W	600	Wafer	260W102FRK	\$1,526.33		
12"	300	215L	150	Lug	215L122FRK	\$1,532.24	CX04707	\$1,896.75
		215W	150	Wafer	215W122FRK	\$1,522.38		
		230L	300	Lug	230L122FRK	\$1,788.95		
		230W	300	Wafer	230W122FRK	\$1,773.15		
		260L	600	Lug	260L122FRK	\$2,004.15		
		260W	600	Wafer	260W122FRK	\$2,000.20		
14"	350	215L	150	Lug	215L142FRK	\$2,322.03	CX04708	\$5,118.75
		215W	150	Wafer	215W142FRK	\$2,300.33		
		230L	300	Lug	230L142FRK	\$3,030.91		
		230W	300	Wafer	230W142FRK	\$3,021.03		
16"	400	215L	150	Lug	215L162FRK	\$3,490.96	CX04709	\$6,756.76
		215W	150	Wafer	215W162FRK	\$3,479.13		
		230L	300	Lug	230L162FRK			
		230W	300	Wafer	230W162FRK			
18"	450	215L	150	Lug	215L182FRK		CX04710	
		215W	150	Wafer	215W182FRK			
		230L	300	Lug	230L182FRK			
		230W	300	Wafer	230W182FRK			
20"	500	215L	150	Lug	215L202FRK		CX04711	
		215W	150	Wafer	215W202FRK			
		230L	300	Lug	230L202FRK			
		230W	300	Wafer	230W202FRK			
24"	600	215L	150	Lug	215L242FRK		CX04712	
		215W	150	Wafer	215W242FRK			
		230L	300	Lug	230L242FRK			
		230W	300	Wafer	230W242FRK			

FIRE SAFE HPSFBV REPAIR KITS INCLUDE:

- Seat (glass filled TFM 1700)
- Stem packing (graphite)
- Body seal (graphite)
- End cap seal (graphite)
- Spacer (PTFE)

FIRE SAFE HPSFBV REPAIR KITS DO NOT INCLUDE THE METAL SEAT RING. THE FIRE SAFE METAL SEAT RING IS SOLD SEPARATELY.

METAL SEAT REPAIR KITS

SIZE		APOLLO TYPE & CLASS	ASME CLASS	STYLE	SEAT	METAL SEATED REPAIR KIT	LIST
INCH	DN						
2	50	215L	150	Lug	2M	215L022MRK	183.67
		215W		Wafer		215W022MRK	
		230L	300	Lug	2M	230L022MRK	
		230W		Wafer		230W022MRK	
2.5	65	215L	150	Lug	2M	215L252MRK	194.79
		215W		Wafer		215W252MRK	
		230L	300	Lug	2M	230L252MRK	
		230W		Wafer		230W252MRK	
3	80	215L	150	Lug	2M	215L032MRK	218.70
		215W		Wafer		215W032MRK	
		230L	300	Lug	2M	230L032MRK	
		230W		Wafer		230W032MRK	
4	100	215L	150	Lug	2M	215L042MRK	264.99
		215W		Wafer		215W042MRK	
		230L	300	Lug	2M	230L042MRK	
		230W		Wafer		230W042MRK	
5	125	215L	150	Lug	2M	215L052MRK	346.52
		215W		Wafer		215W052MRK	
		230L	300	Lug	2M	230L052MRK	
		230W		Wafer		230W052MRK	
6	150	215L	150	Lug	2M	215L062MRK	432.71
		215W		Wafer		215W062MRK	
		230L	300	Lug	2M	230L062MRK	
		230W		Wafer		230W062MRK	
8	200	215L	150	Lug	2M	215L082MRK	577.85
		215W		Wafer		215W082MRK	
		230L	300	Lug	2M	230L082MRK	
		230W		Wafer		230W082MRK	
10	250	215L	150	Lug	2M	215L102MRK	750.25
		215W		Wafer		215W102MRK	
		230L	300	Lug	2M	230L102MRK	
		230W		Wafer		230W102MRK	
12	300	215L	150	Lug	2M	215L122MRK	947.12
		215W		Wafer		215W122MRK	
		230L	300	Lug	2M	230L122MRK	
		230W		Wafer		230W122MRK	
14	350	215L	150	Lug	2M	215L142MRK	1,210.35
		215W		Wafer		215W142MRK	
		230L	300	Lug	2M	230L142MRK	
		230W		Wafer		230W142MRK	
16	400	215L	150	Lug	2M	215L162MRK	1,576.78
		215W		Wafer		215W162MRK	
		230L	300	Lug	2M	230L162MRK	
		230W		Wafer		230W162MRK	
18	450	215L	150	Lug	2M	215L182MRK	1,851.51
		215W		Wafer		215W182MRK	
		230L	300	Lug	2M	230L182MRK	
		230W		Wafer		230W182MRK	
20	500	215L	150	Lug	2M	215L202MRK	2,278.83
		215W		Wafer		215W202MRK	
		230L	300	Lug	2M	230L202MRK	
		230W		Wafer		230W202MRK	
24	600	215L	150	Lug	2M	215L242MRK	3,052.84
		215W		Wafer		215W242MRK	
		230L	300	Lug	2M	230L242MRK	
		230W		Wafer		230W242MRK	

METAL SEAT HPBFV REPAIR KITS INCLUDE:

- Metal seat (Nitrided 316 stainless steel)
- Stem packing (graphite)
- Body Seal (synthetic gasket)
- End cap seal (graphite)
- Spacer (graphite)



high performance butterfly valve price list

REVISIONS

PAGE	DATE	DESCRIPTION
4	01JUN17	Reduced 2"-24" 215L-xx-CSP8TA0 pricing
6-7	03MAR17	Changed headers to "w/ Lever"
8-9	03MAR17	Changed headers to "w/ Gear"
12-13	03MAR17	Changed headers to "w/ Lever"
14-15	03MAR17	Changed headers to "w/ Gear"
18-19	03MAR17	Changed headers to "w/ Lever"
20-21	03MAR17	Changed headers to "w/ Gear"
22	01JUN17	Moved Adders to page 22. Moved Repair Kits to pages 23-25
23	01JUN17	Moved Repair Kits to pages 23, 24 & 25
	11MAY17	Added 14" - 24" Fire Safe Repair Kit list prices
24	01JUN17	Moved Repair Kits to pages 23, 24 & 25
	03MAR17	Restored notes beneath tables
25	01JUN17	Added Repair Kits for Metal Seated HPBFVs
12-13	05APRIL21	Restored header information tables

Since the inception in 1975, Aalberts is where technology matters and real progress can be made - humanly, financially and environmentally. At Aalberts, we create mission-critical products surrounding valve and connection technology supporting our brand, "Apollo".

The manufacturing of Consolidated Brass Company (later called Conbraco) began in 1928, in Detroit, Michigan with a focus on ball cocks, air cocks and similar products. In 1955, the manufacturing operation moved to the Carolinas spanning North and South Carolina with 3 facilities. In 2010, Aalberts, a global Dutch company, purchased Conbraco. Today the "Apollo" brand is manufactured under the company name, Aalberts integrated piping systems, in 3 locations throughout South Carolina. Over the last 90 years the product portfolio has continued to grow to encompass ball valves, butterfly valves, safety relief valves, control valves, mixing valves and backflow preventors.

These systems are applicable for key verticals such as residential, commercial, industrial, and utility. Our products are designed and developed by our team of innovators and engineers. Our design services team can assist in helping you determine the best techniques for your application with our products. We are the only company that truly offers customers a complete solution every time that is made and sourced from the same organization.

Don't just buy products, buy solutions.

